

according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

10th March 2023 Creation date

Revision date Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

mixture

Substance / mixture 1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Engine Oils.

For specific application advice see appropriate Technical Data Sheet or consult our company representative.

Mixture uses advised against

Not defined.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name SPECOL Sp. z o.o.

Address ul. Kluczborska 31, Chorzów, 41-508

Poland

VAT Reg No PI 6272453121 32 245 91 33 Phone F-mail info@specol.com.pl Web address www.specol.com.pl

Competent person responsible for the safety data sheet

SPECOL Sp. z o.o. Name F-mail info@specol.com.pl

1.4. **Emergency telephone number**

European emergency number: 112

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

none

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	<70	not classified as dangerous	1, 3
CAS: 68037-01-4 EC: 500-183-1	1-Decene, homopolymer, hydrogenated	≥15	Asp. Tox. 1, H304	



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

Identification numbers	ation numbers Substance name		Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-469-00-9 CAS: 64742-56-9 EC: 265-159-2 Registration number: 01-2119480132-48	Distillates (petroleum), solvent-dewaxed light paraffinic	0,2-1,6	Asp. Tox. 1, H304	1, 2
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1 Registration number: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic	0,2-1,6	Asp. Tox. 1, H304	1, 2
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,2-1,6	Asp. Tox. 1, H304	
Index: 649-477-00-2 CAS: 64742-70-7 EC: 265-174-4	Paraffin oils (petroleum), catalytic dewaxed heavy	0,2-1,6	Asp. Tox. 1, H304	1, 2
CAS: 84605-29-8 EC: 283-392-8 Registration number: 01-2119493626-26	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	0,5-1,0	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315: $C \ge 6.25\%$ Eye Irrit. 2, H319: $10\% \le C \le 12.5\%$ ATE Oral = 150 mg/kg bw ATE Inhalation (vapor) = 2,3 mg/l ATE Dermal = 2002 mg/kg bw Eye Dam. 1, H318: $C \ge 12.5\%$	
Index: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7 Registration number: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic	0,05-0,08	Asp. Tox. 1, H304	
Index: 649-482-00-X CAS: 72623-86-0 EC: 276-737-9 Registration number: 01-2119474878-16	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	0,03-0,05	Asp. Tox. 1, H304	1, 3

Notes

- 1 Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation
- 3 Fulfilled Note L

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

If on skin

Remove contaminated clothes.

If in eves

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

DNFI

Distillates (petroleum), hydrotreated heavy paraffinic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5.4 mg/m ³	Chronic effects local		
Consumers	Inhalation	1.2 mg/m ³	Chronic effects local		

Distillates (petroleum), hydrotreated light paraffinic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.97 mg/kg/24h	Chronic effects systemic		
Workers	Inhalation	2.73 mg/m ³	Chronic effects systemic		
Consumers	Oral	0.74 mg/kg/24h	Chronic effects systemic		
Consumers	Inhalation	1.19 mg/m³	Chronic effects local		

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5.4 mg/m ³	Chronic effects local		
Consumers	Inhalation	1.2 mg/m ³	Chronic effects local		

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.97 mg/kg/24h	Chronic effects systemic		
Workers	Inhalation	2.73 mg/m ³	Chronic effects systemic		
Workers	Inhalation	5.58 mg/m ³	Chronic effects local		
Consumers	Dermal	0.74 mg/kg/24h	Chronic effects systemic		

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	12.1 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	8.31 mg/m ³	Chronic effects systemic		
Consumers	Dermal	6.1 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	2.11 mg/m ³	Chronic effects systemic		
Consumers	Oral	0.24 mg/kg bw/day	Chronic effects systemic		

PNEC

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Value	Value determination	Source
Oral	9.33 mg/kg		



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Value	Value determination	Source
Oral	9.33 mg/kg of dry substance of sediment		

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Value	Value determination	Source
Oral	9.33 mg/kg		

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Route of exposure	Value	Value determination	Source
Drinking water	0.004 mg/l		
Marine water	0.0046 mg/l		
Water (intermittent release)	0.045 mg/l		
Microorganisms in sewage treatment	100 mg/l		
Freshwater sediment	0.022 mg/kg of dry substance		
Sea sediments	0.002 mg/kg of dry substance		
Soil (agricultural)	0.0548 mg/kg of dry substance		
Oral	10.67 mg/kg of dry substance of sediment		

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	IIquia
Colour	data not available
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	220 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	70 mm ² /s at 40 °C



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

10th March 2023 Creation date

Revision date Version 1.0

Solubility in water data not available Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

0,850-0,860 g/cm³ at 15 °C Density

data not available Relative vapour density Particle characteristics data not available data not available

Distillates (petroleum), hydrotreated light paraffinic

(CAS: 64742-55-8)

liquid

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Phenol, C14-18-alkyl derivs. (CAS: 1190625-94-5) liquid Short-, medium- and long-chain alkyl methacrylates solid: bulk copolymer

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

liquid

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-Decene, homopolymer, hydrogenated

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	5200 I	4 hours	Rat (Rattus norvegicus)	
Oral	LD50	OECD 401	>5000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	>2000 mg/kg		Rat (Rattus norvegicus)	

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	>5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	5000 mg/kg		Rabbit	



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	5000 mg/kg		Rat (Rattus norvegicus)	

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation (dust/mist)	LC50	OECD 403	>5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	>5000 mg/kg		Rabbit	
Oral	LC50	OECD 401	>5000 mg/l		Rat (Rattus norvegicus)	

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	3150 mg/kg		Rabbit	
Inhalation	LD50	OECD 403	2.3 mg/l	4 hours	Rabbit	
Dermal	LD50	OECD 402	2002 mg/l		Rabbit	
Oral	NOAEL	OECD 422	160 mg/kg		Rabbit	F/M
Oral	ATE		150 mg/kg bw			
Inhalation (vapor)	ATE		2.3 mg/l			
Dermal	ATE		2002 mg/kg bw			

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405		Rabbit
Skin	Slightly irritating	OECD 404		Rabbit

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 411	30 mg/kg	90 days	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 410	1000 mg/kg	21/28 days	Rabbit	



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Inhalation (dust/mist)	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	
Inhalation (dust/mist)	NOAEL			0.22 mg/l	4 weeks	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 412	0.05 mg/l	28 lub 14 days	Rat (Rattus norvegicus)	

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	LOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 410	1000 mg/kg	21/28 days	Rabbit	
Inhalation (vapor)	NOAEL			0.98 mg/l	4 weeks	Rat (Rattus norvegicus)	
Inhalation (vapor)	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Distillates (petroleum), hydrotreated light paraffinic

Parameter	Method	Value	Exposure time	Species	Environmen t
EL 50		>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL 50		>100 mg/l	96 hours	Fish (Pimephales promelas)	
NOEL		≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL		10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL		1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Parameter	Method	Value	Exposure time	Species	Environmen t
EL 50		>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL 50		>100 mg/l	96 hours	Fish (Pimephales promelas)	

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Parameter	Method	Value	Exposure time	Species	Environmen t
LL 50	OECD 203	4.5 mg/l	96 hours	Fish (Oncorhynchus mykiss)	



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Parameter	Method	Value	Exposure time	Species	Environmen t
EL 50	OECD 203	23 mg/l	48 hours	Fish (Oncorhynchus mykiss)	
EC50	OECD 201	21 mg/l	72 hours	Algae (Selenastrum capricornutum)	
IC50		10000 mg/l	3 hours	Daphnia (Daphnia magna)	
NOEC	OECD 211	0.4 mg/l	21 days	Daphnia (Daphnia magna)	

Chronic toxicity

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

12.2. Persistence and degradability

Biodegradability

Distillates (petroleum), hydrotreated light paraffinic

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based					

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Biodegradable

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301B	1.5 %	28 days		

not available

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 02 06 synthetic engine, gear and lubricating oils *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Distillates (petroleum), solvent-dewaxed light paraffinic, Distillates (petroleum), hydrotreated heavy paraffinic, Paraffin oils (petroleum), catalytic dewaxed heavy

Restriction	Conditions of restriction
28	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or, — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles);
	 (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. (f) devices covered by Regulation (EU) 2017/745.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H318 Causes serious eve damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances

EL₅₀ Effective Loading for 50% of the tested organisms EmS Emergency plan



according to Commission Regulation (EU) 2020/878 as amended

Spec Premium C3 SN/SM/CF 5W/30 VW 504.00 507.00

Creation date 10th March 2023

Revision date Version 1.0

EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

IC50 Concentration causing 50% blockade
 ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

LL50 Lethal Loading for 50% of tested organisms
LOAEL Lowest observed adverse effect level
log Kow Octanol-water partition coefficient
NOAEL No observed adverse effect level
NOEC No observed effect concentration

NOEL No observed effect level OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Asp. Tox. Aspiration hazard
Eye Dam. Serious eye damage
Skin Irrit. Skin irritation

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.