

according to Commission Regulation (EU) 2020/878 as amended

	according to Commission F	regulation (EU) 2020/878 a	as amenueu
	Agrospe	c UTTO 10W/40	
Creati	on date 10th March 2023		
Revisi	on date	Version	1.0
SECT	ION 1: Identification of the substance/mixture	e and of the company/w	ndertaking
L.1.	Product identifier	Agrospec UTTO :	_
	Substance / mixture	mixture	
L.2.	Relevant identified uses of the substance or	mixture and uses advise	ed against
	Mixture's intended use		-
	Multifunkčný Oil.		
	For specific application advice see appropriate Te	chnical Data Sheet or cons	ult our company representative.
	Mixture uses advised against		
	Not defined.		
L.3.	Details of the supplier of the safety data she	et	
	Manufacturer		
	Name or trade name	SPECOL Sp. z o.	0.
	Address	ul. Kluczborska 3	31, Chorzów, 41-508
		Poland	
	VAT Reg No	PL6272453121	
	Phone	32 245 91 33	
	E-mail	info@specol.com	n.pl
	Web address	www.specol.com	ı.pl
	Competent person responsible for the safety	/ data sheet	
	Name	SPECOL Sp. z o.	0.
	E-mail	info@specol.com	ı.pl
L.4.	Emergency telephone number		
	European emergency number: 112		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

none

2.3. Other hazards

The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	>80	not classified as dangerous	
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,4-0,6	Asp. Tox. 1, H304	



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date Revision date	10th March 2023	Vei	rsion	1.0	
Identification numbers	Substance name		Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 604-092-00-9 CAS: 74499-35-7	phenol, (tetrapropenyl) derivatives		0,012-0,02	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	1, 2

Notes

1 Substance of very high concern - SVHC.

2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

- If inhaled Not expected. If on skin Not expected. If in eyes Not expected. If swallowed Not expected.
- **4.3. Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire. **Unsuitable extinguishing media** not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date Revision date

Version

1.0

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

10th March 2023

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

phenol, (tetrapropenyl) derivatives

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	0.053 mg/m ³	Chronic effects local		
Workers	Oral	0.25 mg/kg bw/day	Chronic effects local		
Workers	Dermal	0.25 mg/kg bw/day	Chronic effects local		

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	220 °C



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date 10th March 2023	
Revision date	Version 1.0
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	90 mm²/s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,860-0,870 g/cm³ at 15 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	data not available
Distillates (petroleum), hydrotreated light paraffinic (CAS: 64742-55-8)	liquid
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)	liquid
9.2. Other information	
not available	

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

- **10.3.** Possibility of hazardous reactions Unknown.
- 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at

high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met. Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Skin	LD50	OECD 402	5000 mg/kg		Rabbit	
Oral	LD50	OECD 401	5000 mg/kg		Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	5.53 mg/l		Rat (Rattus norvegicus)	



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date Revision date

Version

1.0

Distillates (petrole	Distillates (petroleum), solvent-dewaxed heavy paraffinic							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex		
Dermal	LD50	OECD 402	>5000 mg/kg		Rabbit			
Oral	LD50	OECD 401	>5000 mg/kg		Rat (Rattus			

phenol, (tetrapropenyl) derivatives

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Dermal	LD50	OECD 402	15000 mg/kg		Rabbit	
Oral	LD50	OECD 401	2200 mg/kg		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on available data the classification criteria are not met. Distillates (petroleum), hydrotreated heavy paraffinic

10th March 2023

Route of exposure	Result	Method	Exposure time	Species		
Dermal	Not irritating	OECD 404		Rabbit		
Eye	Not irritating	OECD 405		Rabbit		
Distillates (petroleum), solvent-dewaxed heavy paraffinic						

Route of exposure	Result	Method	Exposure time	Species
Dermal	Not irritating	OECD 404		Rabbit
Eye	Not irritating	OECD 405		Rabbit

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Sensitization

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

phenol, (tetrapropenyl) derivatives

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Mutagenicity

Distillates (petroleum), hydrotreated heavy paraffinic

Re	esult	Method	Exposure time	Specific target organ	Species	Sex
Ne	egative	OECD 471			Bacteria (Salmonella typhimurium)	
Ne	egative	OECD 473				
Ne	egative	OECD 476				



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40 10th March 2023

Creation date Revision date

Version

1.0

			drotroo	ted he	avy par	raffini	с							
Distillates (p	etroleum)	, hy	urotrea											
Result	,	Me	ethod		, 1	Expo	sure time		Specific t organ	arget	Spec	cies	Sex	
Negative		OI	ECD 47	4										
Distillates (p	etroleum)	, sol	lvent-de	ewaxe	d heavy	/ para	ffinic							
Result		Me	ethod			Expo	sure time		Specific t organ	arget	Spec	cies	Sex	
Negative, Negati	ot	O	ECD 47	1								eria monella imurium)		
Negative		0	ECD 47	3							<i>,</i> ,	,		
phenol, (teti	rapropenyl) de	rivative	es										
Result		Me	ethod			Expo	sure time		Specific t organ	arget	Spec	cies	Sex	
Negative		O	ECD 47	1								eria monella imurium)		
Negative		OI	ECD 47	6										
Carcinogen Based on ava Distillates (p Route of	ailable dat	, hy		ted he					ecific	Result		Species	Se	×
exposure	NOAEL	-	OECD 4		value		time		get organ	Negativ	10	•	36	×
	NOALL						18 WOOKS							
Distillates (r	etroleum)	. 50		-	d heavy	/ para	78 weeks	Ski	11	Negativ	e	Mouse		
Distillates (p Route of exposure	Paramet			ewaxe	d heavy Value	/ para		Spe	ecific	Result		Species	Se	x
Route of exposure	Paramete NOAEL	er	lvent-de	ewaxe d		/ para	ffinic Exposure	Spe					Se	x
Route of exposure Reproduction Based on avai Distillates (p	Paramete NOAEL ve toxicit ailable dat	er y a the , hy	Vent-de Method OECD 4 e classi drotrea	ewaxed 1 451 fication	Value n criteri avy par	a are raffini	ffinic Exposure time 78 weeks not met.	Spe tar	ecific	Result Negativ		Species Mouse	Sex	x
Route of exposure Reproduction Based on avail Distillates (p Effect Developmer	Paramete NOAEL ve toxicit ailable dat petroleum) Para	er y a the , hy	Vent-de Method OECD 4 e classi drotrea	ewaxed 451 fication ted he	Value n criteri eavy par	a are raffini	ffinic Exposure time 78 weeks not met. c	Spe tar	ecific get organ	Result Negativ	/e Specie Rat (R	Species Mouse		×
Route of exposure Reproduction Based on avail Distillates (p Effect Development toxicity Effects on	Paramete NOAEL ve toxicit ailable dat petroleum) Para	er y a the , hy	Vent-de Method OECD 4 e classi drotrea	ewaxed 451 fication ted he	Value n criteri avy par od 0 421	a are raffini	ffinic Exposure time 78 weeks not met. c	Spe tar	ecific get organ Result	Result Negativ	ve Specie Rat (R Borveg Rat (R	Species Mouse es attus gicus) attus		×
Route of exposure Reproductiv Based on ava Distillates (p Effect Developmer toxicity Effects on fertility Developmer toxicity	Parameter NOAEL ve toxicit ailable dat betroleum) Para atal	er y a tho , hy mete	Vent-de Method OECD 4 e classi drotrea er	451 fication ted he OECD OECD	Value n criteri avy par od 0 421 0 421 0 414	a are raffini	ffinic Exposure time 78 weeks not met. c Value	Spe tare	ecific get organ Result Negative	Result Negativ S F r F r F F F F	gecie Rat (R lorveg Rat (R lorveg Rat (R	Species Mouse		x
Route of exposure Reproductiv Based on ava Distillates (p Effect Developmer toxicity Effects on fertility Developmer toxicity	Parameter NOAEL ve toxicit ailable dat betroleum) Para atal	er y a tho , hy mete	Vent-de Method OECD 4 e classi drotrea er	451 fication ted he OECD OECD	Value n criteri avy par od 0 421 0 421 0 414	a are raffini	ffinic Exposure time 78 weeks not met. c Value	Spe tare	ecific get organ Result Negative Negative	Result Negativ S F r F r F F F F	gecie Rat (R lorveg Rat (R lorveg Rat (R	Species Mouse es attus gicus) attus gicus) attus		x
Route of exposure Reproductiv Based on ava Distillates (p Effect Developmer toxicity Effects on fertility Developmer toxicity	Parameter NOAEL ve toxicit ailable dat betroleum) Para atal	er y a the , hy mete	Vent-de Method OECD « e classi drotrea er	ewaxee	Value n criteri avy par od 0 421 0 421 0 414 d heavy od	a are raffini	ffinic Exposure time 78 weeks not met. c Value	Spe tarr	ecific get organ Result Negative Negative	Result Negativ F F F F F c	Specie Rat (R lorveg Rat (R lorveg Rat (R lorveg Specie	Species Mouse Mouse s attus gicus) attus gicus) attus gicus)		x
Route of exposure Reproduction Based on availates (p Effect Development toxicity Effects on fertility Development toxicity Distillates (p	Paramete NOAEL ve toxicit ailable dat betroleum) Para ntal ntal	er y a the , hy mete	Vent-de Method OECD « e classi drotrea er	ewaxee d 451 fication ted he Metho OECC OECC ewaxee Metho OECC	Value n criteri avy par od 0 421 0 421 0 414 d heavy od 0 421	a are raffini	ffinic Exposure time 78 weeks not met. c Value	Spe tar	ecific get organ Result Negative Negative Negative Result Negative	Result Negativ S F F F F F F F F F F F F F	Pecie Rat (R lorveg Rat (R lorveg Rat (R lorveg Rat (R lorveg Rat (R lorveg	Species Mouse Mouse s attus gicus) attus gicus) attus gicus) es attus gicus)	Sex	x
Route of exposure Reproduction Based on availates (p Effect Development toxicity Development toxicity Development toxicity Distillates (p Effect	Paramete NOAEL ve toxicit ailable dat petroleum) Para ntal petroleum) Para	er y a the , hy mete	Vent-de Method OECD « e classi drotrea er	ewaxee d 451 fication ted he Methe OECC OECC OECC OECC	Value n criteri avy par od 0 421 0 421 0 414 d heavy od 0 421	a are raffini	ffinic Exposure time 78 weeks not met. c Value	F F F F F F	ecific get organ Result Negative Negative Negative Result Negative Negative	Result Negativ S F F F F F F F F F F F F F	Specie Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg	Species Mouse Mouse ss attus gicus) attus gicus) attus gicus) es attus gicus) attus gicus)	Sex	x
Route of exposure Reproduction Based on availates (p Effect Developmentoxicity Developmentoxicity Distillates (p Effect Distillates (p Effect	Paramete NOAEL ve toxicit ailable dat petroleum) Para ntal petroleum) Para	er y a the , hy mete	Ivent-de Methoc OECD e e classi drotrea er	ewaxee d fication ted he Methe OECC OECC OECC OECC OECC OECC	Value n criteri avy par od 0 421 0 421 0 414 d heavy od 0 421	a are raffini	ffinic Exposure time 78 weeks not met. c Value	F F F F F F	ecific get organ Result Negative Negative Negative Result Negative	Result Negativ S F F F F F F F F F F F F F F F	Specie Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg Rat (R	Species Mouse Mouse s attus gicus) attus gicus) attus gicus) es attus gicus) attus gicus) attus	Sex	x
Route of exposure Reproduction Based on availates (p Effect Developmentoxicity Developmentoxicity Distillates (p Effect Distillates (p Effect	Paramete NOAEL ve toxicit ailable dat petroleum) Para ntal petroleum) Para	er y a the , hy mete	Ivent-de Methoc OECD e e classi drotrea er	ewaxee d fication ted he Methe OECC OECC OECC OECC OECC OECC	Value n criteri avy par od 0 421 0 421 0 414 d heavy od 0 421	a are raffini	ffinic Exposure time 78 weeks not met. c Value	F F F F F F	ecific get organ Result Negative Negative Negative Result Negative Negative	Result Negativ S F F F F F F F F F F F F F F F	Specie Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg Rat (R horveg Rat (R	Species Mouse Mouse ss attus gicus) attus gicus) attus gicus) es attus gicus) attus gicus) attus gicus) attus	Sex	x
Route of exposure Reproduction Based on availates (p Effect Development toxicity Effects on fertility Development toxicity Distillates (p	Paramete NOAEL ve toxicit ailable dat petroleum) Para ntal petroleum) Para	er y a thu , hy mete , sol	Ivent-de Methoc OECD e e classi drotrea er	ewaxee d fication ted he Methe OECC OECC OECC OECC OECC OECC	Value n criteri avy par od 0 421 0 421 0 421 0 414 0 421 0 421 0 414 0 421 0 421 0 414	a are raffini / para	ffinic Exposure time 78 weeks not met. c Value	F F F F F F F	ecific get organ Result Negative Negative Negative Result Negative Negative	Result Negativ F F F F F F F F F F F S S	Gpecie Rat (R horveg Rat (R)horveg Rat (R)ho	Species Mouse Mouse ss attus gicus) attus gicus) attus gicus) es attus gicus) attus gicus) attus gicus) attus gicus)	Sex	x



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date Revision date

1.0

phenol, (tetrapropenyl) derivatives

Effect	Parameter	Method	Value	Result	Species	Sex
Developmental toxicity		OECD 416		Positive	Rat (Rattus norvegicus)	
		OECD 416		Maternal toxicity	Rat (Rattus norvegicus)	

Version

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

10th March 2023

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	LOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 411	30 mg/kg		Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.22 mg/l	4 weeks	Rat (Rattus norvegicus)	
Inhalation	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Skin	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.05 mg/l	13 weeks	Rat (Rattus norvegicus)	

phenol, (tetrapropenyl) derivatives

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL		OECD 407	60 mg/kg		Rat (Rattus norvegicus)	
Oral	NOAEL		OECD 416	15 mg/kg		Rat (Rattus norvegicus)	
Oral	NOAEL		OECD 408	100 mg/kg		Rat (Rattus norvegicus)	

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Value	Exposure time	Species	Environment
EL 50	>10000 mg/l		Daphnia (Daphnia magna)	



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date Revision date 10th March 2023

Version

1.0

Distillates (petroleum), hydrotreated heavy paraffinic Value Environment Parameter Exposure time Species LL 50 >100 mg/l 96 hours Fish (Pimephales promelas) Distillates (petroleum), solvent-dewaxed heavy paraffinic Parameter Value Exposure time Species Environment EL 50 >10000 mg/l 48 hours Daphnia (Daphnia magna) LL 50 >100 mg/l Fish (Oncorhynchus 96 hours mykiss) NOEL >100 mg/l Algae and other aquatic 72 hours plants (Pseudokirchneriella subcapitata) Daphnia (Daphnia NOEL 10 mg/l 21 days magna) NOEL 1000 mg/l 14 days Fish (Oncorhynchus mykiss) phenol, (tetrapropenyl) derivatives

Parameter	Value	Exposure time	Species	Environment
EL 50	0.36 mg/l	72 hours	Algae and other aquatic plants (Desmodesmus subspicatus)	
EL 50	0.037 mg/l	48 hours	Daphnia (Daphnia magna)	
EL 50	>1000 mg/l	3 hours	Microorganisms	
LL 50	40 mg/l	96 hours	Fish (Pimephales promelas)	
NOEL	0.07 mg/l	72 hours	Algae and other aquatic plants (Desmodesmus subspicatus)	
NOEL	0.0037 mg/l	21 days	Daphnia (Daphnia magna)	

Chronic toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

12.2. Persistence and degradability **Biodegradability**

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date 10th March 2023 Revision date

Version

1.0

Distillates (petroleum), solvent-dewaxed heavy paraffinic Parameter Method Value Exposure time Environment Result OECD 301F 31 % 28 days Hardly biodegradable phenol, (tetrapropenyl) derivatives Method Exposure time Environment Result Parameter Value 6-25 % OECD 301B 28 days Hardly biodegradable

not available

12.3. Bioaccumulative potential

phenol, (tetrapropenyl) derivatives

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
BCF	289-1601				

Not available. 12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

- 14.2. UN proper shipping name
- not relevant 14.3. Transport hazard class(es)
- not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date Revision date 10th March 2023

Version

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

phenol, (tetrapropenyl) derivatives

Restriction	Conditions of restriction
30	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used, — as substances,
	 as constituents of other substances, or, in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
	- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
	 the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products:
	 motor fuels which are covered by Directive 98/70/EC, mineral oil products intended for use as fuel in mobile or fixed combustion plants, fuels sold in closed systems (e.g. liquid gas bottles);
	 (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11 column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the
	said date. (f) devices covered by Regulation (EU) 2017/745.

15.2. Chemical safety assessment not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet	
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Other important information	on about human health protection



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

reation date evision date	10th March 2023 Version 1.0
The product must	not be - unless specifically approved by the manufacturer/importer - used for purposes other that
	1. The user is responsible for adherence to all related health protection regulations. tions and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by
	road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
ELso	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying
	Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD₅o	Lethal dose of a substance in which it can be expected death of 50% of the population
LL50	Lethal Loading for 50% of tested organisms
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Acute	Hazardous to the aquatic environment
, Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Repr.	Reproductive toxicity
Skin Corr.	Skin corrosion
Training guideli	
Inform the person ways of handling	nnel about the recommended ways of use, mandatory protective equipment, first aid and prohibit the product.
not available	restrictions of use



according to Commission Regulation (EU) 2020/878 as amended

Agrospec UTTO 10W/40

Creation date Revision date

Version

1.0

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

10th March 2023

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.