

according to Commission Regulation (EU) 2020/878 as amended

Spec Moto 4T 10W/40							
Creati	on date 10th March 2023						
Revisi	on date	Version	1.0				
SECTI	ION 1: Identification of the substance/mixture	and of the company/undertaki	na				
1.1.	Product identifier	Spec Moto 4T 10W/40					
	Substance / mixture	mixture					
1.2.	Relevant identified uses of the substance or		st				
	Mixture's intended use	· · · · · · · · · · · · · · · · · · ·					
	Engine Oils.						
	For specific application advice see appropriate Tee	hnical Data Sheet or consult our co	mpany representative.				
	Mixture uses advised against						
	Not defined.						
1.3.	Details of the supplier of the safety data she	Details of the supplier of the safety data sheet					
	Manufacturer						
	Name or trade name	SPECOL Sp. z o.o.					
	Address	ul. Kluczborska 31, Chorz	ów, 41-508				
		Poland					
	VAT Reg No	PL6272453121					
	Phone	32 245 91 33					
	E-mail	info@specol.com.pl					
	Web address	www.specol.com.pl					
	Competent person responsible for the safety						
	Name	SPECOL Sp. z o.o.					
	E-mail	info@specol.com.pl					
1.4.	Emergency telephone number						
	European emergency number: 112						

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

#### 2.2. Label elements

none

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

3.2. Mixtures

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	≥60	not classified as dangerous	
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,08-0,78	Asp. Tox. 1, H304	
CAS: 471-34-1 EC: 207-439-9	calcium carbonate	0,15-0,25	not classified as dangerous	

Full text of all classifications and hazard statements is given in the section 16.



according to Commission Regulation (EU) 2020/878 as amended

## Spec Moto 4T 10W/40

Creation date Revision date 10th March 2023

Version

1.0

**SECTION 4: First aid measures** 

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

### 4.2. Most important symptoms and effects, both acute and delayed

If inhaled Not expected. If on skin Not expected. If in eyes Not expected. If swallowed Not expected.

**4.3.** Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media Accommodate extinguishing components to the location of fire. Unsuitable extinguishing media not available

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

# 6.2. Environmental precautions

- Prevent contamination of the soil and entering surface or ground water.6.3. Methods and material for containment and cleaning up
- After removal of the product, wash the contaminated site with plenty of water.
- **6.4.** Reference to other sections See the Section 7, 8 and 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### **7.2.** Conditions for safe storage, including any incompatibilities Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.



according to Commission Regulation (EU) 2020/878 as amended

## Spec Moto 4T 10W/40

Creation date Revision date 10th March 2023

Version

7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1.

The mixture contains substances for which occupational exposure limits are set.

#### DNEL

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5.4 mg/m <sup>3</sup>	Chronic effects local		
Consumers	Inhalation	1.2 mg/m <sup>3</sup>	Chronic effects local		

#### PNEC

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Value	Value determination	Source
Oral	9.33 mg/kg		

#### 8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

### Eye/face protection

## It is not needed.

## Skin protection

When handling in long-term or repeatedly, use protective gloves.

#### **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### **Thermal hazard**

Not available.

#### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	225 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	90 mm²/s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,860-0,870 g/cm <sup>3</sup> at 15 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	data not available



according to Commission Regulation (EU) 2020/878 as amended

## Spec Moto 4T 10W/40

	Spec Moto 41	10W/40		
Creation date	e 10th March 2023			
Revision date	2	Version	1.0	
Be -20-3	enzenamine, ar-nonyl-N-(nonylphenyl)- (CAS: 36878 3)	liquid		
Be -20-3	enzenamine, ar-nonyl-N-(nonylphenyl)- (CAS: 36878 3)	solid: bulk		
	enzenesulfonic acid, mono-C16-24-alkyl derivs., ım salts (CAS: 70024-69-0)	liquid		
	enzenesulfonic acid, mono-C16-24-alkyl derivs., ım salts (CAS: 70024-69-0)	solid: bulk		
	istillates (petroleum), hydrotreated light paraffinic : 64742-55-8)	liquid		
	istillates (petroleum), solvent-dewaxed heavy finic (CAS: 64742-65-0)	liquid		
	olybdenum polysulphide long chain alkyl ocarbamate complex	liquid		
	inc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phorodithioato-S,S']-, (T-4)- (CAS: 93819-94-4)	liquid		
	inc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phorodithioato-S,S']-, (T-4)- (CAS: 93819-94-4)	solid: bulk		
9.2. Othe	r information			
not a	vailable			

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - not available
- 10.2. Chemical stability

The product is stable under normal conditions.

- 10.3. Possibility of hazardous reactions
- Unknown.
- 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

calcium carbonate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		>2000 mg/kg bw		Rat (Rattus norvegicus)	F
Skin	LD50		>2000 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation	LC₅o		>3 mg/l	4 hours	Rat (Rattus norvegicus)	



according to Commission Regulation (EU) 2020/878 as amended

# Spec Moto 4T 10W/40

Creation date Revision date

1.0

Distillates (netroleum), hydrotreated heavy

<b>n</b> 7	roffi	aic	

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC₅o	OECD 403	5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Skin	LD50	OECD 402	5000 mg/kg		Rabbit	
Oral	LD50	OECD 401	5000 mg/kg		Rat (Rattus norvegicus)	

Version

### Skin corrosion/irritation

Based on available data the classification criteria are not met.

10th March 2023

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species
Dermal	Not irritating	OECD 404		Rabbit
Eye	Not irritating	OECD 405		Rabbit

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Sensitization

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Mutagenicity

Distillates (petroleum), hydrotreated heavy paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria (Salmonella typhimurium)	
Negative	OECD 473				
Negative	OECD 476				
Negative	OECD 474				

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Specific target organ	Result	Species	Sex
	NOAEL	OECD 451		78 weeks	Skin	Negative	Mouse	

### **Reproductive toxicity**

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
Developmental toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 414		Negative	Rat (Rattus norvegicus)	



according to Commission Regulation (EU) 2020/878 as amended

# Spec Moto 4T 10W/40

Creation date Revision date 10th March 2023

Version

1.0

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### **Repeated dose toxicity**

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	LOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 411	30 mg/kg		Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.22 mg/l	4 weeks	Rat (Rattus norvegicus)	
Inhalation	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	

### Aspiration hazard

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### Acute toxicity

calcium carbonate

Parameter	Value	Exposure time	Species	Environment			
LC50	>100	96 hours	Fish (Oncorhynchus mykiss)				
EC50	>100	48 hours	Daphnia (Daphnia magna)				
Distillates (petroleum), hydrotreated heavy paraffinic							
Parameter	Value	Exposure time	Species	Environment			

Parameter	Value	Exposure time	Species	Er
EL 50	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL 50	>100 mg/l	96 hours	Fish (Pimephales	

#### **Chronic toxicity**

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

#### 12.2. Persistence and degradability

promelas)



according to Commission Regulation (EU) 2020/878 as amended

## Spec Moto 4T 10W/40

Creation date 10th March 2023 Revision date

Version

1.0

Biodegradability

## calcium carbonate

Parameter Method		Value	Exposure time	Environment Result	
					Easily biodegradable
Distillates (petrol	leum), hydrotreated h	neavy paraffinic			
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

not available

#### 12.3. Bioaccumulative potential

### Not available.

12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Not available.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

#### SECTION 14: Transport information

#### 14.1. UN number or ID number

not subject to transport regulations

- **14.2.** UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments not relevant



according to Commission Regulation (EU) 2020/878 as amended

### Spec Moto 4T 10W/40

Creation date Revision date 10th March 2023

Version

1.0

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### **Chemical safety assessment** 15.2.

not available

#### **SECTION 16: Other information**

#### A list of standard risk phrases used in the safety data sheet

H304 May be fatal if swallowed and enters airways.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road BCF **Bioconcentration Factor** CAS **Chemical Abstracts Service** CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures EC Identification code for each substance listed in EINECS EC50 Concentration of a substance when it is affected 50% of the population European Inventory of Existing Commercial Chemical Substances EINECS EL50 Effective Loading for 50% of the tested organisms Emergency plan FmS European Union FU EuPCS European Product Categorisation System IATA International Air Transport Association International Code For The Construction And Equipment of Ships Carrying IBC **Dangerous Chemicals** ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods IMO International Maritime Organization INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization IUPAC International Union of Pure and Applied Chemistry Lethal concentration of a substance in which it can be expected death of 50% of the LC 50 population LD 50 Lethal dose of a substance in which it can be expected death of 50% of the population Lethal Loading for 50% of tested organisms LL50 LOAEL Lowest observed adverse effect level log Kow Octanol-water partition coefficient NOAEL No observed adverse effect level No observed effect level NOFI OEL **Occupational Exposure Limits** PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Agreement on the transport of dangerous goods by rail



according to Commission Regulation (EU) 2020/878 as amended

	Spec Mo	Spec Moto 4T 10W/40						
Creation date	10th March 2023							
Revision date		Version	1.0					
UN	UN Four-figure identification number of the substance or article taken from the UN Model Regulations							
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials							
VOC	Volatile organic o	ompounds						
vPvB	Very Persistent a	nd very Bioaccumulative						
Asp. Tox.	Aspiration hazard	i						
Training guide	elines							
Inform the pers ways of handlin	onnel about the recommended w g the product.	ays of use, mandatory prot	ective equipment, first a	id and prohibite				

Recommended restrictions of use

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.