according to Commission Regulation (EU) 2020/878 as amended							
	MA PRO	FESSIONAL EXHAU	JST MOUNTING	i PASTE 1200 °C			
Creat	ion date	09th October 2014					
Revisi	ion date	20th February 2025	Version	6.0			
SECT	ION 1: Identification	of the substance/mixture a	and of the company/u	ndertaking			
1.1.	Product identifier	-		IAL EXHAUST MOUNTING PAST	E 1200 °C		
	Substance / mixture		mixture				
	Number		M-29112022				
1.2.	Relevant identified	Relevant identified uses of the substance or mixture and uses advised against					
	Mixture's intended use						
	Lubricating agent.						
	Main intended use						
	PC-CLN-17.OTH	•	ypes) cleaning and care	products			
	Mixture uses advise	-					
	The product should not be used in ways other than those referred in Section 1.						
1.3.	Details of the supplier of the safety data sheet						
	Manufacturer						
	Name or trade	name	AMTRA Sp. z o.				
	Address		Schonów 3, Sos	nowiec, 41-200			
			Poland				
	VAT Reg No		PL6250009241 +48 32 294 41				
	Phone E-mail			-			
		reconcided for the enfety of	amtra@amtra.p				
	Name	responsible for the safety o	AMTRA Sp. z o.	2			
	E-mail		amtra@amtra.pl				
1.4.	Emergency telepho	ne number	annawannaap				
	European emergency number: 112						

2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

2.2. Label elements

Precautionary statements P102

Keep out of reach of children.

2.3. **Other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. **Mixtures**

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1344-09-8 EC: 215-687-4	Silicic acid, sodium salt	100	not classified as dangerous	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. **Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL EXHAUST MOUNTING PASTE 1200 °C

MA PROFESSIONAL EXHAUST MOUNTING PASTE 1200 °C							
Creation date	09th October 2014						
Revision date	20th February 2025	Version	6.0				
If inhaled							
Terminate th	e exposure immediately; move the af	fected person to fresh air.					
If on skin							
Remove con	taminated clothes.						
If in eyes	If in eyes						
	mmediately with a flow of running wa diately if worn by the affected person.		o using force if needed); remove con				
If swallowe	ed						
Rinse out the	e mouth with clean water. In the even	t of issues, find medical he	elp.				
4.2. Most impor	Most important symptoms and effects, both acute and delayed						
If inhaled	If inhaled						
Not expected	Not expected.						
If on skin							
Not expected	1.						
Tf in aver	Te in and						

If in eyes Not expected. If swallowed Not expected.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Follow the instructions in the Sections 7 and 8.
- 6.2. Environmental precautions
- Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature is from +5 °C to +30 °C. Protect against frost. Protect from sunlight. Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s)

not available

		SAFETY	DATA SHEET					
according to Commission Regulation (EU) 2020/878 as amended MA PROFESSIONAL EXHAUST MOUNTING PASTE 1200 °C								
SECT		controls/personal protection						
B.1.	Control parame							
	-	tains no substances for which occu	pational exposure limits a	are set.				
8.2.	Exposure contr							
	Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and befor breaks for a meal and rest.							
	Eye/face protection							
	It is not needed.							
	Skin protection							
	Hand protection: Chemical resistant gloves should be worn whenever working with chemical products when a risk assessmen indicates this is necessary.							
	The selected protective gloves must meet the requirements of the EN 374-1 standard. Recommended for long-term contact:							
	Material for protective gloves: nitrile rubber. Thickness: 0.11 mm Breakthrough time: > 480 min. Efficiency class: 6							
	Recommended for momentary contact:							
		ective gloves: nitrile rubber						
	Thickness: 0.11 Breakthrough tir							
	Efficiency class:							
		Protective gloves resistant to the	product. When handling	in long-term or repeatedly, us	e protectiv			
	Respiratory pro	otection						
	It is not needed.							
	Thermal hazar	d						
	Not available.							
		exposure controls						
	Observe usual m	easures for protection of the envir	onment, see Section 6.2.					

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and chemical propert	ies
	Physical state	solid
	Colour	grey
	Odour	characteristic
	Melting point/freezing point	not determined
	Boiling point or initial boiling point and boiling range	not determined
	Flammability	not determined
	Lower and upper explosion limit	not determined
	Flash point	not determined
	Auto-ignition temperature	not determined
	Decomposition temperature	not determined
	рН	11-12 (undiluted)
	Kinematic viscosity	not determined
	Solubility in water	insoluble
	Partition coefficient n-octanol/water (log value)	not determined
	Vapour pressure	not determined
	Density and/or relative density	not determined
	Relative vapour density	not determined
	Particle characteristics	not determined
9.2.	Other information	
	none	

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL EXHAUST MOUNTING PASTE 1200 °C

Creation date Revision date 09th October 2014 20th February 2025

Version

6.0

SECTION 10: Stability and reactivity

10.1. Reactivity

- not available
- 10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Serious eye damage/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL EXHAUST MOUNTING PASTE 1200 °C

Creation date Revision date 09th October 2014 20th February 2025

Version

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - UN 3253
- 14.2. UN proper shipping name
- DISODIUM TRIOXOSILICATE 14.3. Transport hazard class(es)
 - 8 Corrosive substances
- 14.4. Packing group
- 14.5. Environmental hazards not relevant

		SAFET	Y DATA SHEET		
		according to Commissio	n Regulation (EU) 2020/878 a	s amended	
	MA PRO	DFESSIONAL EXH	AUST MOUNTING	PASTE 1200 °C	
	on date on date	09th October 2014 20th February 2025	Version	6.0	
14.6. 14.7.	Special precautio Reference in the Se Maritime transpond not relevant Additional inform	ctions 4 to 8. rt in bulk according to I	10 instruments		
	Hazard identifi UN number Classification c Safety signs		80 3253 C6 8		
	Tunnel restrict	ion code	(E)		
	Air transport - IC. Packaging inst Cargo packagin Marine transport EmS (emerger	ructions passenger ng instructions - IMDG	860 864 F-A, S-B		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

Guidelines for safe handling used in the safety data sheet

P102 Keep out of reach of children.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and ac	ronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association

according to Commission Regulation (EU) 2020/878 as amended

MA PROFESSIONAL EXHAUST MOUNTING PASTE 1200 °C

FIA I					
Creation date	09th October 2014				
Revision date	20th February 2025	Version	6.0		
IBC	International Code	For The Construction And	Equipment of Ships Carrying		
	Dangerous Chemic	als			
ICAO	International Civil	Aviation Organization			
IMDG	International Marit	ime Dangerous Goods			
IMO	International Marit	ime Organization			
INCI	International Nom	enclature of Cosmetic Ingr	edients		
ISO	International Orga	nization for Standardizatio	n		
IUPAC	International Union	n of Pure and Applied Cher	nistry		
log Kow	Octanol-water part	ition coefficient			
OEL	Occupational Expo	sure Limits			
PBT	Persistent, bioaccu	mulative and toxic			
PMT	Persistent, mobile	and toxic			
ppm	Parts per million				
REACH	Registration, Evalu	ation, Authorisation and R	estriction of Chemicals		
RID	Agreement on the	transport of dangerous go	ods by rail		
UN	Four-figure identifi Model Regulations	cation number of the subs	tance or article taken from the UN		
UVCB	Substances of unk biological material	•	ion, complex reaction products or		
VOC	Volatile organic co	mpounds			
vPvB	Very persistent an	d very bioaccumulative			
vPvM	Very persistent an	d very mobile			
VEVIN	very persistent an				

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 6.0 replaces the SDS version from Tuesday, 29 November 2022. Changes were made in sections 1, 2, 11, 12, 13, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.