

| Version: 4.0 | Revision Date: 11.03.2020 | | Print Date: 19/10/2020 | |
|--|---------------------------------------|---|---|--|
| Conforms to EU Regulation 1 SECTION 1: Identification | | | mpany/undertaking | |
| 1.1 Product identifier Trade name | : Valvoline⊺ | M BRAKE & CLUTCH F | LUID DOT 4 | |
| Product code | : 883464 | | | |
| 1.2 Relevant identified Recommended use | uses of the substance : BRAKE FLUI | | advised against | |
| 1.3 Details of the supplier of the safety data sheet Ellis Enterprises B.V., an affiliate of Valvoline Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the Netherlands), or | | your local emergency Product Information +31 (0)78 654 3500 (i | 1-859-202-3865, or contact telephone number at 112 n the Netherlands), or | |
| contact your local CSR c SDS@valvoline.com | ontact person | contact your local CS | R contact person | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

:

Reproductive toxicity, Category 2

H361d: Suspected of damaging the unborn child.

2.2 Label elements

UFI

UJQD-7SR2-Y006-3693

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|--------------------------|-------------------------------------|--|
| Signal word | : Warning | |
| Hazard statements | : H361d Susp | ected of damaging the unborn child. |
| Precautionary statements | P101 If me | o out of reach of children. dical advice is needed, have product ainer or label at hand. |
| | Prevention: | |
| | eye p | r protective gloves/ protective clothing/ protection/ face protection/ hearing ection. |
| | P202 Do n | ot handle until all safety precautions been read and understood. |
| | Storage: P405 Store Disposal: | e locked up. |
| | P501 Disp | ose of contents/ container to an oved waste disposal plant. |

Hazardous components which must be listed on the label: Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice** No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

| Chemical name | CAS-No. EC-No. Registration number | Classification (REGULATION (EC) No 1272/2008) | Concentration (%) |
|--|--|---|--------------------|
| Tris[2-[2-(2- methoxyethoxy)ethoxy] ethyl] orthoborate | 30989-05-0 250-418-4 01-2119462824-33-xxxx | Repr.2; H361d | >= 10,00 - < 15,00 |
| Reaction mass of 2-(2- (2- outoxyethoxy)ethoxy)et hanol and 3,6,9,12- retraoxahexadecan-1-ol907-996-4 01-2119531322-53-xxxx | | Eye Dam.1; H318 | >= 10,00 - < 15,00 |



| Version: 4.0 | Revision Date: 11.03.2020 | | Print Date: 19/10/2020 | |
|---|--|--|------------------------|--|
| ESTER OF BORIC ACID | 71035-05-7 01-2120766655-42-xxxx | Acute Tox.4; H302 | >= 5,00 - < 10,00 | |
| 2-(2- Butoxyethoxy)ethanol 203-961-6 01-2119475104-44-x | | Eye Irrit.2; H319 | >= 2,50 - < 5,00 | |
| 2,2' -Oxybisethanol | 111-46-6 203-872-2 01-2119457857-21-xxxx | Acute Tox.4; H302 STOT RE2; H373 | >= 1,00 - < 2,50 | |
| 2-(2- methoxyethoxy)ethanol | 111-77-3 203-906-6 01-2119475100-52-xxxx | Repr.2; H361d | >= 0,50 - < 1,00 | |
| 2,6-di-tert-Butyl-p- cresol | 128-37-0 204-881-4 01-2119565113-46-xxxx | Aquatic Acute1; H400 Aquatic Chronic1; H410 | >= 0,10 - < 0,25 | |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|-------------------------|--|
| If inhaled | If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water. |
| In case of eye contact | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. |



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 | | |
|---|--|------------------------|--|--|
| If swallowed | : Obtain medical attention. Do NOT induce vomiting. Do not give milk or alcoholic bever Never give anything by mouth to a If symptoms persist, call a physicia | in unconscious person. | | |
| 4.2 Most important symptoms and effects, both acute and delayed | | | | |
| Symptoms | : No symptoms known or expected. | | | |
| Risks | : Diglycol ethers may cause acidosi Suspected of damaging the unbor | | | |
| 4.0 Indiantian of any imm | | ent mended | | |

4.3 Indication of any immediate medical attention and special treatment needed

| Treatment | : No hazards which require special first aid measures. |
|-----------|--|
|-----------|--|

SECTION 5: Firefighting measures

5.1 Extinguishing media

| Suitable extinguishing media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical |
|--------------------------------|--|
| Unsuitable extinguishing media | : High volume water jet |

5.2 Special hazards arising from the substance or mixture

| Specific hazards during firefighting | If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Do not allow run-off from fire fighting to enter drains or water courses. |
|---|--|
| Hazardous combustion products | : carbon dioxide and carbon monoxide |



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|--|---|------------------------|
| 5.3 Advice for firefighters | | |
| Special protective equipment for firefighters | : In the event of fire, wear self-containe | d breathing apparatus. |
| Specific extinguishing methods | : Product is compatible with standard fi | re-fighting agents. |
| Further information | : Fire residues and contaminated fire e be disposed of in accordance with loc | 5 5 |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| • • | |
|---------------------------------|---|
| Personal precautions | Use personal protective equipment. Ensure adequate ventilation. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations. |
| 6.2 Environmental precautions | |
| Environmental precautions | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| 6.3 Methods and material for co | ntainment and cleaning up |
| Methods for cleaning up | · Soak up with inert absorbent material (e.g. sand, silica gel |

| Methods for cleaning up | • | |
|-------------------------|---|---|
| | | acid binder, universal binder, sawdust). |
| | | Keep in suitable, closed containers for disposal. |
| | | |

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : Do not breathe vapours/dust. Do not smoke. |
|-------------------------|--|
| | Container hazardous when empty. |
| | Avoid contact with skin and eyes. |
| | Smoking, eating and drinking should be prohibited in the |



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|---|--|------------------------|
| | application area. For personal protection see section 8 Dispose of rinse water in accordance regulations. | |
| Advice on protection against fire and explosion | : Normal measures for preventive fire p | protection. |
| Hygiene measures | : Wash hands before breaks and at the using do not eat or drink. When using | |
| 7.2 Conditions for safe storage, | including any incompatibilities | |
| Requirements for storage areas and containers | : Keep container tightly closed in a dry place. Observe label precautions. | and well-ventilated |
| Other data | : No decomposition if stored and applie | ed as directed. |
| 7.3 Specific end use(s) Specific use(s) | : No data available | |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|--------------------------------|----------|-------------------------------|-----------------------|------------|
| 2-(2- Butoxyethoxy)ethanol | 112-34-5 | STEL | 15 ppm 101,2 mg/m3 | 2006/15/EC |
| | | TWA | 10 ppm 67,5 mg/m3 | 2006/15/EC |
| | | TWA | 10 ppm 67,5 mg/m3 | GB EH40 |
| | | STEL | 15 ppm 101,2 mg/m3 | GB EH40 |
| 2,2' -Oxybisethanol | 111-46-6 | TWA | 23 ppm 101 mg/m3 | GB EH40 |
| 2-(2- methoxyethoxy)ethanol | 111-77-3 | TWA | 10 ppm 50,1 mg/m3 | 2006/15/EC |
| | | TWA | 10 ppm 50,1 mg/m3 | GB EH40 |



| Version: 4.0 | Revision Date: 11.03.2020 Print Date | | | ate: 19/10/2020 |
|---|--------------------------------------|--|--|-----------------|
| 2,6-di-tert-Butyl-p-cresol | 128-37-0 | TWA | 10 mg/m3 | GB EH40 |
| 8.2 Exposure controls | | | | |
| Engineering measures Provide sufficient mechar exposure guidelines (if ap effects. | | | | |
| Personal protective equ | lipment | | | |
| Eye protection | potenti mist. | al for exposure of the | les and face shield wh e eyes or face to liquid, n immediate work area | , vapor or |
| Hand protection | | | | |
| Remarks | | itability for a specific e producers of the pro | workplace should be o otective gloves. | liscussed |
| Skin and body protection | | as appropriate: ious clothing shoes | | |

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance | : | liquid |
|---|---|-------------------|
| Colour | : | amber |
| Odour | : | characteristic |
| Odour Threshold | : | No data available |
| рН | : | 7 - 11 |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | 245 °C |
| Flash point | : | ca. 125 °C |



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|--|---------------------------|------------------------|
| | | |
| Evaporation rate | : No data available | |
| Flammability (solid, gas) | : No data available | |
| Upper explosion limit / Upper flammability limit | : No data available | |
| Lower explosion limit / Lower flammability limit | : No data available | |
| Vapour pressure | : No data available | |
| Relative vapour density | : No data available | |
| Relative density | : No data available | |
| Density | : ca. 1,05 g/cm3 | |
| Solubility(ies) Water solubility | : soluble | |
| Solubility in other solvents | : No data available | |
| Partition coefficient: n- octanol/water | : No data available | |
| Decomposition temperature | : No data available | |
| Viscosity Viscosity, dynamic | : No data available | |
| Viscosity, kinematic | : 14,6 mm2/s (20 °C) | |
| Oxidizing properties | : No data available | |
| 9.2 Other information | | |
| Self-ignition | : 350 °C | |

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|-----------------------------------|---|------------------------|
| 10.2 Chemical stability | | |
| Stable under recommended s | torage conditions. | |
| 10.3 Possibility of hazardous rea | actions | |
| Hazardous reactions | : Product will not undergo hazardous pol | lymerization. |
| 10.4 Conditions to avoid | | |
| Conditions to avoid | : excessive heat Do not allow evaporation to dryness. | |
| 10.5 Incompatible materials | | |
| Materials to avoid | : Acids | |
| | Alkaline earth metals Bases | |
| | Strong oxidizing agents | |
| 10.6 Hazardous decomposition | products | |
| Hazardous decomposition products | : No hazardous decomposition products | are known. |
| SECTION 11: Toxicological in | formation | |
| 11.1 Information on toxicologica | Il effects | |
| Information on likely routes of | | |
| exposure | Skin contact Eye Contact | |
| | Ingestion | |
| Acute toxicity | | |
| Not classified based on availa | ble information. | |
| Product: | | |
| Acute oral toxicity | : | |
| | Remarks: Ingestion of medications cont diethylene glycol has caused kidney fail humans. Products containing diethylen considered toxic by ingestion. | ure and death in |
| | Acute toxicity estimate : > 2.000 mg/kg Method: Calculation method | |

Acute dermal toxicity : Remarks: Skin absorption of this material (or a component) may be increased through injured skin.



Version: 4.0

Revision Date: 11.03.2020

Print Date: 19/10/2020

Components:

| Triethylene glycol monome | ethyl | ether, borate: |
|---------------------------|-------|--|
| Acute oral toxicity | : | LD50 (Rat): > 2.000 mg/kg |
| | | Method: OECD Test Guideline 401 |
| | | Assessment: No adverse effect has been observed in acute |
| | | oral toxicity tests. |
| | | |

| Acute dermal toxicity | : LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: No adverse effect has been observed in acute dermal toxicity tests. |
|-----------------------|--|
|-----------------------|--|

Components:

| Reaction mass of 2-(2-(2-buto | ox | yethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol: |
|-------------------------------|----|--|
| Acute oral toxicity | : | LD50 : 2.630 mg/kg Assessment: No adverse effect has been observed in acute oral toxicity tests. |
| Acute dermal toxicity | : | LD50 (Rabbit, male): 3.540 mg/kg Assessment: No adverse effect has been observed in acute dermal toxicity tests. |

Components:

| Acute oral toxicity : Assessment: The component/mixture is classified as acute oral toxicity, category 4. | ESTER OF BORIC ACID: | |
|---|----------------------|--|
| | Acute oral toxicity | Assessment: The component/mixture is classified as acute |

Components:

DIETHYLENE GLYCOL MONOBUTYL ETHER:

| | Acute oral toxicity | : LD50 (Rat): 3.305 mg/kg |
|---|---|---|
| I | Acute dermal toxicity | : LD50 (Rabbit): 2.734 mg/kg |
| | Acute toxicity (other routes of administration) | : LD50 (Rat): 500 mg/kg Application Route: Intraperitoneal |
| | _ | |

| <u>Components:</u> | |
|---------------------------|---|
| DIETHYLENE GLYCOL: | |
| Acute oral toxicity | : LD50 (Human): Expected 1.120 mg/kg Target Organs: Kidney |
| Acute inhalation toxicity | : LC50 (Rat): > 4,6 mg/l |
| | |



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|--|--|--------------------------|
| Acute dermal toxicity | Exposure time: 4 h Test atmosphere: dust/mist Assessment: No adverse effect has inhalation toxicity tests. : LD50 (Rabbit): 13.300 mg/kg | s been observed in acute |
| <u>Components:</u> DIETHYLENE GLYCOL MO | NOMETHYL ETHER: | |
| Acute oral toxicity | : LD50 (Mouse): > 5.288 mg/kg Method: OECD Test Guideline 401 GLP: no | |
| Acute inhalation toxicity | : LC0 (Rat): > 1,2 mg/l Exposure time: 6 h Test atmosphere: vapour Method: OECD Test Guideline 403 | |
| Acute dermal toxicity | : LD50 (Rabbit): 9.404 mg/kg Method: OECD Test Guideline 402 | |

Components:

| BUTYLATED HYDROXY TOL | UENE: |
|-----------------------|---|
| Acute oral toxicity | : LD50 (Rat): > 6.000 mg/kg Method: OECD Test Guideline 401 GLP: yes |
| Acute dermal toxicity | LD50 (Rat): > 2.000 mg/kg Assessment: Not classified as acutely toxic by dermal absorption under GHS. Remarks: No mortality observed at this dose. |

Skin corrosion/irritation

Not classified based on available information.

Components:

Triethylene glycol monomethyl ether, borate: Result: No skin irritation

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol: Result: No skin irritation

DIETHYLENE GLYCOL MONOBUTYL ETHER: Result: Slight, transient irritation

DIETHYLENE GLYCOL:



Version: 4.0

Revision Date: 11.03.2020

Print Date: 19/10/2020

Species: Human Result: Slight, transient irritation

DIETHYLENE GLYCOL MONOMETHYL ETHER:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

BUTYLATED HYDROXY TOLUENE:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Triethylene glycol monomethyl ether, borate:

Result: Slight, transient irritation

Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol: Result: Corrosive

DIETHYLENE GLYCOL MONOBUTYL ETHER: Result: Severely irritating to eyes

DIETHYLENE GLYCOL:

Species: Rabbit Result: Slight, transient irritation

DIETHYLENE GLYCOL MONOMETHYL ETHER:

Species: Rabbit Method: OECD Test Guideline 405 Result: Slight, transient irritation

BUTYLATED HYDROXY TOLUENE:

Species: Rabbit Method: OECD Test Guideline 405 Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Triethylene glycol monomethyl ether, borate: Test Type: Maximisation Test



Version: 4.0

Revision Date: 11.03.2020

Print Date: 19/10/2020

Species: Guinea pig Assessment: Does not cause skin sensitisation. Method: OECD Test Guideline 406

DIETHYLENE GLYCOL MONOBUTYL ETHER:

Test Type: Maximisation Test Species: Guinea pig

DIETHYLENE GLYCOL:

Test Type: Maximisation Test Species: Guinea pig Method: Directive 67/548/EEC, Annex V, B.6.

DIETHYLENE GLYCOL MONOMETHYL ETHER:

Test Type: Maximisation Test Species: Guinea pig Assessment: Does not cause skin sensitisation. Method: OECD Test Guideline 406

BUTYLATED HYDROXY TOLUENE:

Assessment: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

Triethylene glycol monomethyl ether, borate:

| : | Test Type: Ames test |
|---|---|
| | Test species: Salmonella typhimurium |
| | Metabolic activation: with and without metabolic activation |
| | Result: negative |
| | : |

DIETHYLENE GLYCOL MONOBUTYL ETHER:

| Genotoxicity in vitro Genotoxicity in vivo | Remarks: In vitro tests did not show mutagenic effects Result: In vivo tests did not show mutagenic effects | |
|---|---|--|
| DIETHYLENE GLYCOL: | | |
| Genotoxicity in vitro | Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes Test species: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 479 | |
| | | |



| rsion: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|---|--|----------------------------|
| | Result: negative GLP: yes | |
| Genotoxicity in vivo | : Test Type: In vivo micronucleus t Test species: Mouse Method: OECD Test Guideline 47 Result: negative GLP: yes | |
| DIETHYLENE GLYCOL MO | DNOMETHYL ETHER: | |
| Genotoxicity in vitro | : Test Type: Ames test Test species: Salmonella typhimu Metabolic activation: with and wit Method: OECD Test Guideline 47 Result: negative | hout metabolic activation |
| BUTYLATED HYDROXY T | | |
| Genotoxicity in vitro | : Test Type: Ames test Test species: Salmonella typhimu Metabolic activation: with and wit Result: negative | |
| Carcinogenicity Not classified based on ava | ilable information. | |
| Reproductive toxicity Suspected of damaging the | unborn child. | |
| <u>Components:</u> Triethylene glycol monom | nethyl ether, borate: | |
| | : Some evidence of adverse effect animal experiments. | s on development, based on |
| DIETHYLENE GLYCOL MO | DNOBUTYL ETHER: | |
| Effects on fertility | : Symptoms: No effects on fertility | |
| | DNOMETHYL ETHER: | |
| Reproductive toxicity - Assessment | : Some evidence of adverse effect animal experiments. | s on development, based on |
| STOT - single exposure Not classified based on ava | ilable information. | |



Version: 4.0

Revision Date: 11.03.2020

Print Date: 19/10/2020

STOT - repeated exposure

Not classified based on available information.

Components:

DIETHYLENE GLYCOL: Exposure routes: Ingestion Target Organs: Kidney Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

DIETHYLENE GLYCOL MONOBUTYL ETHER:

NOAEL: 250 mg/kg LOAEL: 1.000 mg/kg Application Route: Oral Target Organs: Blood

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

DIETHYLENE GLYCOL: General Information: Liver

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components: Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203



| sion: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/20 |
|---|---|-------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20 | |
| Toxicity to algae | : EC50 (Pseudokirchneriella subca Exposure time: 72 h Method: OECD Test Guideline 20 | |
| Reaction mass of 2-(2-(2-but | oxyethoxy)ethoxy)ethanol and 3,6,9,12 | 2-tetraoxahexadecan-1-ol |
| Toxicity to fish | : LC50 : > 1.800 mg/l Exposure time: 96 h Method: OECD Test Guideline 2 | 03 |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water fle Exposure time: 48 h Method: OECD Test Guideline 20 | |
| Toxicity to algae | : EC50 : 391 mg/l Exposure time: 72 h | |
| 2-(2-Butoxyethoxy)ethanol | | |
| Toxicity to fish | : LC50 (Bluegill (Lepomis macroch Exposure time: 96 h Test Type: static test | nirus)): 1.300 mg/l |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test | ea)): > 100 mg/l |
| Toxicity to algae | : EC50 (Desmodesmus subspicate Exposure time: 96 h Test Type: static test | us (green algae)): > 100 mg/l |
| Toxicity to bacteria | : EC50 (Bacteria): > 100 mg/l Exposure time: 96 h Test Type: Static | |
| 2,2' -Oxybisethanol | | |
| Toxicity to daphnia and other aquatic invertebrates | : LC50 (Daphnia magna (Water fle Exposure time: 24 h Test Type: static test Method: DIN 38412 | ea)): > 10.000 mg/l |
| 2-(2-methoxyethoxy)ethanol | | |
| Toxicity to fish | : LC50 (Pimephales promelas (fat Exposure time: 96 h Test Type: static test | head minnow)): 5.741 mg/l |



| sion: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2 |
|---|--|---------------------|
| | | |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test | a)): 1.192 mg/l |
| Toxicity to algae | : EC50 (Pseudokirchneriella subca 1.000 mg/l End point: Biomass Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20 | |
| 2,6-di-tert-Butyl-p-cresol | | |
| Toxicity to fish | : LC50 (Fish): estimated 0,199 mg/ Exposure time: 96 h Remarks: QSAR | 1 |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20 | |
| M-Factor (Short-term (acute) aquatic hazard) | : 1 | |
| Toxicity to fish (Chronic toxicity) | : NOEC: 0,053 mg/l Exposure time: 42 d Species: Oryzias latipes (Orange- Test Type: flow-through test | red killifish) |
| M-Factor (Long-term (chronic) aquatic hazard) | : 1 | |

12.2 Persistence and degradability

Components:

| Tris[2-[2-(2-methoxyethoxy) | |
|-----------------------------|---|
| Biodegradability | : Result: Readily biodegradable. |
| | Biodegradation: > 70 % |
| | Exposure time: 28 d |
| | Method: OECD Test Guideline 301A |
| | |
| | toxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol |
| Biodegradability | : Result: Readily biodegradable. |
| | |
| 2-(2-Butoxyethoxy)ethanol | |
| Biodegradability | : Biodegradation: 89 % |
| | |



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|--------------------------------|--|------------------------|
| | Exposure time: 28 d Method: OECD Test Guideline 301C Remarks: Readily biodegradable | |
| 2,2' -Oxybisethanol | | |
| Biodegradability | : Result: Readily biodegradable. Biodegradation: 70 - 80 % Exposure time: 28 d Method: OECD Test Guideline 301B | |
| 2-(2-methoxyethoxy)ethanol | | |
| Biodegradability | : Test Type: aerobic Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d | |
| 2,6-di-tert-Butyl-p-cresol | | |
| Biodegradability | : Result: Not readily biodegradable. Biodegradation: 4,5 % Exposure time: 28 d Method: OECD Test Guideline 301C | |
| Physico-chemical removability | : Remarks: The product can be degraded chemical or photolytic) processes. | by abiotic (e.g. |
| 12.3 Bioaccumulative potential | | |

Components:

| Tris[2-[2-(2-methoxyethoxy)ethoxy)ethoxy | hoxy]ethyl] orthoborate |
|--|---|
| Partition coefficient: n- octanol/water | : log Pow: 1,6 (25 °C) |
| Reaction mass of 2-(2-(2-buto | xyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol |
| Partition coefficient: n- octanol/water | : log Pow: 0,5 (25 °C) |
| 2-(2-Butoxyethoxy)ethanol | |
| Bioaccumulation | : Remarks: Bioaccumulation is unlikely. |
| Partition coefficient: n- octanol/water | : log Pow: 1 |
| 2,2' -Oxybisethanol | |
| Bioaccumulation | : Species: Leuciscus idus (Golden orfe) Bioconcentration factor (BCF): 100 |



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|---|---|----------------------------|
| Partition coefficient: n- octanol/water | : log Pow: -1,47 | |
| 2,6-di-tert-Butyl-p-cresol | | |
| Partition coefficient: n- octanol/water | : log Pow: 4,17 (21 °C) | |
| 12.4 Mobility in soil No data available | | |
| 12.5 Results of PBT and vPvB | assessment | |
| Product: | | |
| Assessment | : This substance/mixture contains n to be either persistent, bioaccumul very persistent and very bioaccum 0.1% or higher | lative and toxic (PBT), or |
| 12.6 Other adverse effects | | |
| Product: Additional ecological information | : No data available | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| Product | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
|------------------------|---|
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. |

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good



Version: 4.0

Revision Date: 11.03.2020

Print Date: 19/10/2020

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

| 15.1 | Safety, health and environmental regulations/legisla | ation | specific for the substance or mixture |
|------|--|-------|---------------------------------------|
| | Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : | Not applicable |
| | Regulation (EC) No 850/2004 on persistent organic pollutants | : | Not applicable |
| | REACH - List of substances subject to authorisation (Annex XIV) | : | Not applicable |
| | REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : | Not applicable |
| | Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals | : | Not applicable |



| Version: 4.0 | Revision Date: 11.03.2020 | Print Date: 19/10/2020 |
|--|--|---|
| REACH - Restrictions on the the market and use of certai preparations and articles (Ar | n dangerous substances, | Conditions of restriction for the following entries should be considered: 111-77-3 (Number on list 54) |
| | B/EU of the European Parliament Iving dangerous substances. Not applicable | t and of the Council on the control of |
| Volatile organic compounds | | 4 November 2010 on industrial ution prevention and control) ds (VOC) content: 3,9 % |
| assessment in the context of | vork with or be exposed to this p f the activities and risk managem mother and/or child (Maternity P | ent measures taken, the exposure |
| The components of this pr DSL | | wing inventories: or several components that are not have annual quantity limits. |
| AICS | : Not in compliance with the | e inventory |
| ENCS | : Not in compliance with the | inventory |
| KECI | : Not in compliance with the | inventory |
| PICCS | : Not in compliance with the | inventory |
| IECSC | : Not in compliance with the | inventory |
| TCSI | : Not in compliance with the | inventory |
| TSCA | : Not On TSCA Inventory | |



Version: 4.0

Revision Date: 11.03.2020

Print Date: 19/10/2020

Inventories

1

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Internal information : 000000273236

Full text of H-Statements

| H302 | Harmful if swallowed. |
|-------------------|--|
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H361d | Suspected of damaging the unborn child. |
| H373 | May cause damage to organs through prolonged or repeated exposure if swallowed. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Other information | : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance |

of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists



Version: 4.0

Revision Date: 11.03.2020

Print Date: 19/10/2020

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society). CMR : Carcinogenic, Mutagenic or Toxic for Reproduction FG : Food grade GHS : Globally Harmonized System of Classification and Labeling of Chemicals. H-statement : Hazard Statement IATA : International Air Transport Association. IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA). ICAO : International Civil Aviation Organization ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment **CSR** : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration **PEL : Permissible Exposure Limits**

PNEC : Predicted No Effect Concentration

R-phrase : Risk phrase

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

- RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase
- WGK : German Water Hazard Class



Version: 4.0

Revision Date: 11.03.2020

Print Date: 19/10/2020