

SAFETY DATA SHEET

AQDCT Plus

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: AQDCT Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Lubricant

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address: **Moove Lubricants Ltd**
Dering Way
Gravesend
DA12 2QX Kent
England
+44 (0) 1474 564 311

Contact person: Moove Lubricants

E-mail: technical@uk.moovelub.com

Revision: 08/09/2025

SDS Version: 1.0

1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

<i>Hazard pictogram(s):</i>	Not applicable.
<i>Signal word:</i>	Not applicable.
<i>Hazard statement(s):</i>	Not applicable.
<i>Precautionary statement(s):</i>	
<i>General:</i>	Not applicable.
<i>Prevention:</i>	Not applicable.
<i>Response:</i>	Not applicable.
<i>Storage:</i>	Not applicable.
<i>Disposal:</i>	Not applicable.
<i>Hazardous substances:</i>	Does not contain any substances required to report
<i>Additional labelling:</i>	EUH208, Contains 2-tetradecyloxirane, reaction products with boric acid. May produce an allergic reaction. EUH210, Safety data sheet available on request.

2.3. Other hazards

<i>Additional warnings:</i>	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.
-----------------------------	---

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum), hydrotreated heavy paraffinic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers	CAS No.: 64742-54-7 EC No.: 265-157-1 UK-REACH: Index No.: 649-467-00-8	80-95%	Asp. Tox. 1, H304	[12], [19]

predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]				
Distillates (petroleum), hydrotreated light paraffinic	CAS No.: 64742-55-8 EC No.: 265-158-7 UK-REACH: Index No.:	1-3%	Asp. Tox. 1, H304	[12], [19]
Reaction products of fatty acids, C14-C18 (branched and linear) and C18 (unsaturated) with tetraethylenepentamine (linear, branched, cyclic)	CAS No.: EC No.: 701-204-9 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	CAS No.: 91648-65-6 EC No.: 293-927-7 UK-REACH: Index No.:	1-3%	Aquatic Chronic 3, H412	
Dibutyl phosphonate	CAS No.: 1809-19-4 EC No.: 217-316-1 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 (SCL: 12.50 %) Eye Irrit. 2, H319 (SCL: 6.25 %) Aquatic Chronic 3, H412	
2-Propenoic acid, 2-methyl-, C10- 20-alkyl esters, polymers with Me methacrylate	CAS No.: 127133-63-5 EC No.: 692-646-0 UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319	
2-tetradecyloxirane, reaction products with boric acid	CAS No.: EC No.: 701-392-2 UK-REACH: Index No.:	<1%	Skin Sens. 1B, H317	
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	CAS No.: 1218787-32-6 EC No.: 620-540-6 UK-REACH: Index No.:	<0.25%	Acute Tox. 4, H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
Methyl-1H-benzotriazole	CAS No.: 29385-43-1 EC No.: 249-596-6 UK-REACH:	<0.25%	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Chronic 2, H411	

	Index No.:		
--	------------	--	--

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[12] The classification as a carcinogen will not be taken into account as the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method' (CLP, Annex VI, note L).

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

In case of discomfort: bring the person into fresh air.

Skin contact:

IF ON SKIN: Wash with plenty of water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.

Eye contact:

Rinse gently with lukewarm water. Remove any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.

Ingestion:

Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Carbon oxides (CO / CO₂)

5.3. Advice for firefighters

No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material: Always store in containers of the same material as the original container.

Storage conditions: Dry, cool and well ventilated

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

Duration:	Route of exposure:	DNEL:
Long term - Systemic effects - General population	Dermal	150 µg/kg bw/day
Long term - Systemic effects - Workers	Dermal	420 µg/kg bw/day
Long term - Systemic effects - General population	Inhalation	522 µg/m ³
Long term - Systemic effects - Workers	Inhalation	2.96 mg/m ³
Long term - Systemic effects - General population	Oral	150 µg/kg bw/day

Dibutyl phosphonate

Duration:	Route of exposure:	DNEL:
Long term - Systemic effects - General population	Dermal	2.5 mg/kg bw/day
Long term - Systemic effects - Workers	Dermal	7 mg/kg bw/day
Long term - Systemic effects - General population	Inhalation	8.75 mg/m ³
Long term - Systemic effects - Workers	Inhalation	49 mg/m ³
Long term - Systemic effects - General population	Oral	2.5 mg/kg bw/day

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]

Duration:	Route of exposure:	DNEL:

Long term – Systemic effects - Workers	Dermal	970 µg/kg bw/day
Long term – Local effects - General population	Inhalation	1.19 mg/m ³
Long term – Local effects - Workers	Inhalation	5.58 mg/m ³
Long term – Systemic effects - Workers	Inhalation	2.73 mg/m ³
Long term – Systemic effects - General population	Oral	740 µg/kg bw/day

Distillates (petroleum), hydrotreated light paraffinic

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	970 µg/kg bw/day
Long term – Local effects - General population	Inhalation	1.19 mg/m ³
Long term – Local effects - Workers	Inhalation	5.58 mg/m ³
Long term – Systemic effects - Workers	Inhalation	2.73 mg/m ³
Long term – Systemic effects - General population	Oral	740 µg/kg bw/day

Methyl-1H-benzotriazole

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	10 µg/kg bw/day
Long term – Systemic effects - Workers	Dermal	300 µg/kg bw/day
Long term – Systemic effects - General population	Inhalation	350 µg/m ³
Long term – Systemic effects - Workers	Inhalation	21.2 mg/m ³
Long term – Systemic effects - General population	Oral	10 µg/kg bw/day

PNEC

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		214 ng/L
Freshwater sediment		1.692 mg/kg
Intermittent release (freshwater)		870 ng/L
Marine water		21.4 ng/L
Marine water sediment		169.2 µg/kg
Predators		2 mg/kg
Sewage treatment plant		1.5 mg/L
Soil		5 mg/kg

Dibutyl phosphonate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		14.4 µg/L
Freshwater sediment		526.464 µg/kg
Intermittent release (freshwater)		144 µg/L

Intermittent release (marine water)		144 µg/L
Marine water		1.44 µg/L
Marine water sediment		52.646 µg/kg
Sewage treatment plant		1 g/L
Soil		114.56 µg/kg

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]

Route of exposure:	Duration of Exposure:	PNEC:
Predators		9.33 mg/kg

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure:	Duration of Exposure:	PNEC:
Predators		9.33 mg/kg

Methyl-1H-benzotriazole

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		8 µg/L
Freshwater sediment		117 µg/kg
Intermittent release (freshwater)		86 µg/L
Intermittent release (marine water)		53 µg/L
Marine water		20 µg/L
Marine water sediment		292 µg/kg
Sewage treatment plant		39.4 mg/L
Soil		18.7 µg/kg

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures:

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures: Wash hands after use.
Measures to avoid environmental exposure: No specific requirements.


Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.


Respiratory Equipment:
 No specific requirements.

Skin protection:
 No specific requirements.

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile butyl rubber	0.35 mm	> 480 minutes	EN 374, EN 388, EN 407	

Eye protection:

Type	Standards	
Safety glasses	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: Amber
Odour / Odour threshold: Mild
pH: No data available.
Density (g/cm³): 0.845 (20 °C)
Kinematic viscosity: 37 centistokes (40 °C)
Particle characteristics: Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C): No data available.
Softening point/range (°C): Does not apply to liquids.
Boiling point (°C): No data available.
Vapour pressure: No data available.
Relative vapour density: No data available.

Decomposition temperature (°C): No data available.

Data on fire and explosion hazards

Flash point (°C): No data available.

Flammability (°C): No data available.

Auto-ignition temperature (°C): No data available.

Lower and upper explosion limit (% v/v): No data available.

Solubility

Solubility in water: No data available.

n-octanol/water coefficient (LogKow): No data available.

Solubility in fat (g/L): No data available.

9.2. Other information

Oxidizing properties: No data available.

Other physical and chemical parameters: No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law



According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Due to the viscosity, this product does not present an aspiration hazard.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: No special.

Demands for specific education: No specific requirements.

Control of Major Accident Hazards (COMAH) - Categories / dangerous substances: Not applicable.

Additional information: Not applicable.

Sources: Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H361d, Suspected of damaging the unborn child.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information



According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

The safety data sheet is validated by

WN

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en