According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
2.2	07.07.2023	800010034875	Print Date 08.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Shell Spirax S5 DCT X
Product code	: 001H4219

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Transmission oil.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	 Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Contact for Safety Data Sheet	 : (+44) 08007318888 : : If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44 (0) 20 7934 7778 (This telephone number is available 24 hours per day, 7 days per week)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms Signal word	:	No Hazard Symbol required No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version 2.2	Revision Date: 07.07.2023	SDS Number: 800010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023
		Not class ENVIRO	HAZARDS: ified as a health hazard under CLP criteria. NMENTAL HAZARDS: ified as environmental hazard according to
Preca	utionary statements	: Prevention: No preca	utionary phrases.
		Response:	
		-	utionary phrases.
		Storage:	
		-	utionary phrases.
		Disposal:	
		No preca	utionary phrases.
Sensi	tising components	: Contains Thioall May produce an	kyl ester. allergic reaction.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive dilu- ent. Classification based on DMSO extract content < 3% (Regula- tion (EC) 1272/2008, Appex VI, Part 3, Note L)
		tion (EC) 1272/2008, Annex VI, Part 3, Note L).

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

/ersion 2.2	Revision Date: 07.07.2023		Date of last issue: 27.09.2022 Print Date 08.07.2023		
		(REACH registratio 34), 64742-54-7 (0 2119487077-29), 6 0 (01-2119471299- 72623-86-0 (01-21 2119474889-13), 8 9 (01-0000020163- 151006-60-9 (01-2	nore of the following CAS-nur n numbers): 64742-53-6 (01- 1-2119484627-25), 64742-55 4742-56-9 (01-2119480132-4 27), 68037-01-4 (01-2119480 19474878-16), 72623-87-1 (0 042-47-5 (01-2119487078-23 82), 68649-12-7 (01-211952 119523580-47), 163149-28-8 4741-88-4 (01-2119488706-2 30).	2119480375- 5-8 (01- 48), 64742-65- 6452-34), 01- 7), 848301-69- 7646-33), 8 (01-	
Com	oonents				
Chem	nical name	CAS-No. EC-No. Index-No. Registration numl		Concentration (% w/w)	
	hangeable low viscosity oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox. 1; H304	0 - 90	
Alkyl	polyamide	Not Assigned 701-204-9 01-2119960832-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319	1 - 3	
Alkar	yl amine	36878-20-3 253-249-4 01-2119488911-2	Aquatic Chronic 4; H413	1 - 3	
Thioa	lkyl ester	93882-40-7 299-434-3	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 2; H411	0.1 - 0.9	
Alkyl	phosphite	Not Assigned 424-820-7	Acute Tox. 4; H312 Skin Corr. 1B; H314 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	0.1 - < 0.5	

For explanation of abbreviations see section 16.

aquatic toxicity): 10

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:
2.2	07.07.2023

SDS Number: 800010034875

Date of last issue: 27.09.2022 Print Date 08.07.2023

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	Not expected to be a health hazard when used under normal conditions.		
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.		
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.		
In case of skin contact	:	Remove contaminated clothing. Immediately flush skin with large amounts of water for at least 15 minutes, and follow by washing with soap and water if available. If redness, swelling, pain and/or blisters occur, transport to the nearest medical facility for additional treatment.		
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.		
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
4.2 Most important symptoms an	d e	effects, both acute and delayed		
Symptoms	:	Not considered to be an inhalation hazard under normal con- ditions of use. Possible respiratory irritation signs and symptoms may include a temporary burning sensation of the nose and throat, cough- ing, and/or difficulty breathing. Skin irritation signs and symptoms may include a burning sen- sation, redness, or swelling. Eye irritation signs and symptoms may include a burning sen- sation, redness, swelling, and/or blurred vision. Ingestion may result in nausea, vomiting and/or diarrhoea. Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas.		
4.3 Indication of any immediate n	neo	dical attention and special treatment needed		
Treatment	:	Call a doctor or poison control center for guidance. Treat symptomatically.		

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Foam, water spray or fog. Dry chemical powder, carbon diox-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Vers 2.2	ion	Revision Date: 07.07.2023	-	OS Number: 0010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023
				ide, sand or earth	may be used for small fires only.
Unsuitable extinguishing media		:	Do not use water in a jet.		
5.2 8	Special	hazards arising from	the	substance or mi	xture
		:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.		
5.3 A	Advice	for firefighters			
Special protective equipment for firefighters		:	gloves are to be v large contact with Breathing Appara a confined space.	equipment including chemical resistant vorn; chemical resistant suit is indicated if spilled product is expected. Self-Contained tus must be worn when approaching a fire in Select fire fighter's clothing approved to s (e.g. Europe: EN469).	
	Specifi ods	c extinguishing meth-	:		measures that are appropriate to local cir- he surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	6.1.1 For non emergency personnel:Avoid contact with skin and eyes.6.1.2 For emergency responders:Avoid contact with skin and eyes
		Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions : Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
-------------------------	---	--

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
2.2	07.07.2023	800010034875	Print Date 08.07.2023

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

T	echnical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
A	dvice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Ρ	roduct Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Н	lygiene measures	:	Exposure to this product should be reduced as low as reason- ably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".
7.2 Co	onditions for safe storage, i	ncl	uding any incompatibilities
	urther information on stor- ge stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
			Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guid- ance may be obtained from the local environmental agency office.
P	ackaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
С	container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.
7.3 Sp	pecific end use(s)		
S	pecific use(s)	:	Not applicable

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
2.2	07.07.2023	800010034875	Print Date 08.07.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Biological occupational exposure limits

No biological limit allocated.

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

Eye washes and showers for emergency use.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Eye washes and showers for emergency use.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection

: Wear full face shield if splashes are likely to occur.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version 2.2	Revision Date: 07.07.2023	SDS Number: 800010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023
		Approved to EU	Standard EN166.
Hand	protection		
Re	marks	gloves approved US: F739) made suitable chemica gloves Suitability usage, e.g. freq sistance of glove glove suppliers. Personal hygien Gloves must onl gloves, hands sl cation of a non-p For continuous of through time of n 480 minutes why short-term/splas recognize that s may not be avai time maybe acco and replacemen a good predictor dependent on th Glove thickness	htact with the product may occur the use of d to relevant standards (e.g. Europe: EN374, e from the following materials may provide al protection. PVC, neoprene or nitrile rubber y and durability of a glove is dependent on uency and duration of contact, chemical re- e material, dexterity. Always seek advice from Contaminated gloves should be replaced. he is a key element of effective hand care. by be worn on clean hands. After using hould be washed and dried thoroughly. Appli- berfumed moisturizer is recommended. contact we recommend gloves with break- more than 240 minutes with preference for > ere suitable gloves can be identified. For sh protection we recommend the same but uitable gloves offering this level of protection lable and in this case a lower breakthrough eptable so long as appropriate maintenance it regimes are followed. Glove thickness is not of glove resistance to a chemical as it is ne exact composition of the glove material. should be typically greater than 0.35 mm he glove make and model.
Skin a	and body protection	use. For prolonged o	s not required under normal conditions of r repeated exposures use impervious clothing body subject to exposure.
Respi	ratory protection	conditions of use In accordance w	rotection is ordinarily required under normal e. <i>v</i> ith good industrial hygiene practices, precau- taken to avoid breathing of material.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Liquid at room temperature.;Liquid	d at 20 °C.
Colour	amber	
Odour	Slight hydrocarbon	
Odour Threshold	Data not available	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Vers 2.2	sion	Revision Date: 07.07.2023			Date of last issue: 27.09.2022 Print Date 08.07.2023
	pour po	int	:	-45 °C Method: ISO 301	6
	Melting	/ freezing point		Data not available	e
	Flamma	ability			
	Flan	nmability (solid, gas)	:	Not applicable	
	Flan	nmability (liquids)	:	Not classified as	flammable but will burn.
	Lower e	explosion limit and upp	er ex	plosion limit / flam	nmability limit
		per explosion limit / per flammability limit	:	Typical 10 %(V)	
		wer explosion limit / wer flammability limit	:	Typical 1 %(V)	
	Flash p	oint	:	220 °C Method: ISO 259	2
	Auto-ig	nition temperature	:	> 320 °C	
		position temperature omposition tempera-	:	Data not available	e
	рН		:	Not applicable	
	Viscosii Visc	ty osity, dynamic	:	Data not available	e
	Visc	osity, kinematic	:	36.48 mm2/s (40 Method: ISO 310	
				7.55 mm2/s (100 Method: ISO 310	
	Solubili Wat	ty(ies) er solubility	:	negligible	
	Solu	bility in other solvents	:	Data not available	e
	Partition octanol	n coefficient: n- /water	:	log Pow: > 6 (based on inform	ation on similar products)
	Vapour	pressure	:	< 0.5 Pa (20 °C) estimated value(s	5)
	Relative	e density	:	0.848 (15.0 °C)	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Versio 2.2	n Revision Date: 07.07.2023	SDS Number: 800010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023		
D	ensity	: 848 kg/m3 (15 Method: ISO 1	,		
Relative vapour density		: >5			
9.2 Ot	her information				
E	xplosives	: Classification	Code: Not classified.		
Oxidizing properties		: Data not availa	Data not available		
FI	ammability (liquids)	: Not classified	Not classified as flammable but will burn.		
E	vaporation rate	: Data not availa	able		
С	onductivity	: This material is	s not expected to be a static accumulator.		

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

Reacts with strong oxidising agents.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions :

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of :	Skin and eye contact are the primary routes of exposure alt-
exposure	hough exposure may occur following accidental ingestion.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

ersion Revision Date: 2 07.07.2023			DS Number: 0010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023	
Acute	e toxicity				
<u>Produ</u>	uct:				
Acute	oral toxicity	:	LD50 (rat): > 5,00 Remarks: Low to Based on availab		
Acute	inhalation toxicity	:	Remarks: Based on available data, the classification crite are not met.		
Acute	dermal toxicity	:	LD50 (Rabbit): > Remarks: Low to Based on availab		
Skin	corrosion/irritation				
<u>Prodı</u> Rema		:	can clog the pore acne/folliculitis.	to skin. eated skin contact without proper cleaning es of the skin resulting in disorders such as oil ple data, the classification criteria are not met.	
Serio	us eye damage/eye irr	itati	on		
<u>Produ</u>	uct:				
Rema	Remarks		 Slightly irritating to the eye. Based on available data, the classification criteria are not me 		
Resp	iratory or skin sensitis	satio	on		
<u>Produ</u> Rema		:	: For respiratory and skin sensitisation: Not a sensitiser. Based on available data, the classification criteria are n		
Comp	oonents:				
Thioa	ılkyl ester:				
Rema	•	:	May cause an all	ergic skin reaction in sensitive individuals.	
Germ	cell mutagenicity				
<u>Produ</u>	uct:				
Genot	toxicity in vivo	:	Remarks: Non m Based on availat	utagenic ble data, the classification criteria are not met.	
Germ sessn	cell mutagenicity- As- nent	:	This product doe categories 1A/1B	s not meet the criteria for classification in B.	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version 2.2	Revision Date: 07.07.2023	SDS No 800010	umber: 034875	Date of last issue: 27.09.2022 Print Date 08.07.2023
Carc	inogenicity			
<u>Prod</u>	uct:			
Rema	arks		a carcinogen ed on availab	le data, the classification criteria are not met.
Carci ment	inogenicity - Assess-		s product doe: egories 1A/1B	s not meet the criteria for classification in

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

	Product: Effects on fertility	:	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
	Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.
	STOT - single exposure		
	Product:		
	Remarks	:	Based on available data, the classification criteria are not met.
	STOT - repeated exposure		
	Product:		
	Remarks	:	Based on available data, the classification criteria are not met.
	Aspiration toxicity		
	Product:		
	Not an aspiration hazard., Bas	sed	on available data, the classification criteria are not met.
11.:	2 Information on other hazard	s	
	Endocrine disrupting proper	rtie	S
	Product:		
	Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version 2.2	Revision Date: 07.07.2023		DS Number: 00010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023
			levels of 0.1% or	higher.
Furth	er information			
Produ	<u>ict:</u>			
Remarks : Used oils may contain lated during use. The of depend on use and the environment on dispos		uld be handled with caution and skin contact		
Rema	rks	:	Slightly irritating t	o respiratory system.
Rema	rks	:	: Classifications by other authorities under varying reg frameworks may exist.	
Rema	rks	:	: Unless indicated otherwise, the data presented is rep tive of the product as a whole, rather than for individu ponent(s).	

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l	
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l	
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l	
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.	
Toxicity to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.	

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version 2.2	Revision Date: 07.07.2023		DS Number: 00010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023
Com	nponents:			
-	I phosphite: actor (Acute aquatic tox-	:	10	
	actor (Chronic aquatic	:	10	
12.2 Pers	sistence and degradabi	lity		
	<u>duct:</u> egradability	:	ponents that may p Persistent per IMO International Oil Pe "A non-persistent of of hydrocarbon fra distills at a tempera which, by volume,	are inherently biodegradable, but contains com- ersist in the environment.
12.3 Bioa	accumulative potential			
	<u>duct:</u> ccumulation	:	Remarks: Contains	s components with the potential to bioaccumulate.
12.4 Mob	bility in soil			
<u>Proc</u> Mob	<u>duct:</u> ility	:		under most environmental conditions., If it adsorb to soil particles and will not be mo-
			Remarks: Floats	on water.
12.5 Res	ults of PBT and vPvB a	sse	ssment	
	<u>duct:</u> essment	:		s not contain any REACH registered sub- assessed to be a PBT or a vPvB
12.6 End	ocrine disrupting prope	ertie	es	
	duct: essment	:	The substance/mix	ture does not contain components considered to

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version 2.2	Revision Date: 07.07.2023	SDS Number: 800010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023			
		57(f) or Commission	rupting properties according to REACH Article on Delegated regulation (EU) 2017/2100 or lation (EU) 2018/605 at levels of 0.1% or higher.			
12.7 Otł	ner adverse effects					
	oduct:					
Additional ecological infor- : mation		 Does not have ozone depletion potential, photochemical ozone cre tion potential or global warming potential. Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal condition of use. 				
		Poorly soluble mix Causes physical fo	ture. uling of aquatic organisms.			
			therwise, the data presented is representative of nole, rather than for individual component(s).			

SECTION 13: Disposal considerations

13.1	Waste	treatment	methods
------	-------	-----------	---------

Product	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses.
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste. Waste arising from a spillage or tank cleaning should be dis- posed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.
	MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version 2.2	Revision Date: 07.07.2023	SDS Number: 800010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023
Local	legislation		
Waste	e catalogue	:	
		EU Waste Dis	sposal Code (EWC):
Waste	e Code	: 13 02 06*	
Rema	arks		IId be in accordance with applicable regional, local laws and regulations.
		Classification user.	of waste is always the responsibility of the end
		Hazardous W	aste (England and Wales) Regulations 2005.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	: :	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	: :	Not regulated as a dangerous good Not regulated as a dangerous good
14.4 Packing group		

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version 2.2	Revision Date: 07.07.2023		DS Number: 00010034875	Date of last issue: 27.09.2022 Print Date 08.07.2023	
ADR		:	Not regulated as	a dangerous good	
RID		:	: Not regulated as a dangerous good		
IMDG IATA		:	Not regulated as a dangerous goodNot regulated as a dangerous good		
14.5 Environmental hazards					
ADR		:	Not regulated as	a dangerous good	
RID		:	Not regulated as	a dangerous good	
IMDG		: Not regulated as a dangerous good		a dangerous good	
14.6 Speci	al precautions for use	er			
Remai	rks	:	for special precau	ons: Refer to Section 7, Handling & Storage, utions which a user needs to be aware of or with in connection with transport.	

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Product is not subject to Authorisa- tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
2.2	07.07.2023	800010034875	Print Date 08.07.2023

amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

REACH	:	All components listed or polymer exempt.
TSCA	:	All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.
H312	:	Harmful in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
		Short tarm (aguta) aguatia bazard
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Acute Aquatic Chronic	:	Long-term (acute) aquatic hazard
•	:	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Aquatic Chronic Asp. Tox.	:	Long-term (chronic) aquatic hazard Aspiration hazard
Aquatic Chronic Asp. Tox. Eye Irrit.	:	Long-term (chronic) aquatic hazard Aspiration hazard Eye irritation
Aquatic Chronic Asp. Tox. Eye Irrit. Skin Corr.		Long-term (chronic) aquatic hazard Aspiration hazard Eye irritation Skin corrosion
Aquatic Chronic Asp. Tox. Eye Irrit. Skin Corr. Skin Irrit.		Long-term (chronic) aquatic hazard Aspiration hazard Eye irritation Skin corrosion Skin irritation
Aquatic Chronic Asp. Tox. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens.		Long-term (chronic) aquatic hazard Aspiration hazard Eye irritation Skin corrosion Skin irritation Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
2.2	07.07.2023	800010034875	Print Date 08.07.2023

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice :	Provide adequate information, instruction and training for operators.	
Other information :	A vertical bar () in the left margin indicates an amendment from the previous version.	
Sources of key data used to : compile the Safety Data Sheet	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).	
Identified Uses according to t Uses - Worker	he Use Descriptor System	
Title :	General use of lubricants and greases in vehicles or machin- ery Industrial	
Uses - Worker Title :	General use of lubricants and greases in vehicles or machin- ery Professional	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version Revision Date: 2.2 07.07.2023

SDS Number: 800010034875

Date of last issue: 27.09.2022 Print Date 08.07.2023

GB / EN

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS
2.2	07.07.2023	8000

S Number: 010034875 Date of last issue: 27.09.2022 Print Date 08.07.2023

Exposure Scenario - Worker 300000010692

SECTION 1	EXPOSURE SCENARIO TITLE	
Title	General use of lubricants and greases in vehicles or machin ery Industrial	
Use Descriptor	Sector of Use: SU3 Process Categories: PROC 1, PROC 2, PROC 8b, PROC 9 Environmental Release Categories: ERC4, ERC7, ATIEL- ATC SPERC 4.Bi.v1	
Scope of process	Covers general use of lubricants and greases in vehicles or machinery in closed systems. Includes filling and draining of containers and operation of enclosed machinery (including engines) and associated maintenance and storage activities.	

SECTION 2	OPERATIONAL CONDITIONS AND RISK MANAGEMEN MEASURES	
Additional Information	No exposure assessment presented for human health.	

Section 2.1	Control of Worker Exposure
Product Characteristics	

Contributing Scenarios Risk Management Measures

Section 2.2	Control of Environmental Exposure	e		
Amounts Used	•			
EU tonnage (tonnes per year)):	2,631.1		
Fraction of EU tonnage used	in region:	0.1		
Fraction of Regional tonnage	used locally:	0.1		
Frequency and Duration of	Use			
Emission Days (days/year):		300		
Environmental factors not i	nfluenced by risk management			
Local freshwater dilution factor	or:	10		
Local marine water dilution fa	ctor:	100		
Other Operational Condition	Other Operational Conditions affecting Environmental Exposure			
Negligible wastewater emission	ons as process operates without water			
contact.				
Release fraction to air from p	rocess (after typical onsite RMMs) :	5.00E-05		
Release fraction to wastewate	2.00E-11			
RMMs and before (municipal)				
Release fraction to soil from process (after typical onsite RMMs):		0		
Technical conditions and measures at process level (source) to prevent release				
	ss sites thus conservative process re-			
lease estimates used.				
Technical onsite conditions and measures to reduce or limit discharges, air emis-				
sions and releases to soil				
Treat air emission to provide	a typical removal efficiency of (%)	70		

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
2.2	07.07.2023	800010034875	Print Date 08.07.2023

Prevent discharge of undissolved substance to or recover from onsite wastewater. User sites are assumed to be provided with oil/water separators or	
User sites are assumed to be provided with oil/water separators or	
ober sites are assumed to be provided with on water separators of	
equivalent and for waste water to be discharged via public sewer sys-	
tem.	
Organisational measures to prevent/limit release from site	
Do not apply industrial sludge to natural soils.	
Sludge should be incinerated, contained or reclaimed.	
Conditions and Measures related to municipal sewage treatment plant	
Estimated substance removal from wastewater via domestic sewage 69.1	
treatment (%)	
Assumed domestic sewage treatment plant flow (m3/d) 2.00E+03	3
Maximum allowable site quantity (MSafe) based on OCs and RMMs 1.53E+06	ô
as above (kg/day) :	
Conditions and Measures related to external treatment of waste for disposal	
External treatment and disposal of waste should comply with applicable local and/	or regiona
regulations.	Ū
-	
Conditions and measures related to external recovery of waste	
External recovery and recycling of waste should comply with applicable local and/or regulations.	or regional

SECTION 3

EXPOSURE ESTIMATION

Section 3.1 - Health

No exposure assessment presented for human health.

Section 3.2 - Environment

Used ECETOC TRA model.

SECTION 4

GUIDANCE TO CHECK COMPLIANCE WITH THE EXPOSURE SCENARIO

Section 4.1 - Health

No exposure assessment presented for human health.

Section 4.2 - Environment

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.

Further details on scaling and control technologies are provided in SpERC factsheet (http://cefic.org).

If scaling reveals a condition of unsafe use (i.e., RCRs > 1), additional RMMs or a sitespecific chemical safety assessment is required.

For further information see www.ATIEL.org/REACH_GES.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS
2.2	07.07.2023	8000

Number: 10034875

Date of last issue: 27.09.2022 Print Date 08.07.2023

Exposure Scenario - Worker 300000010693

SECTION 1	EXPOSURE SCENARIO TITLE
Title	General use of lubricants and greases in vehicles or machin- ery Professional
Use Descriptor	Sector of Use: SU22 Process Categories: PROC 1, PROC 2, PROC 8a, PROC 8b, PROC 20 Environmental Release Categories: ERC9a, ERC9b, ATIEL-ATC SPERC 9.Bp.v1
Scope of process	Covers general use of lubricants and greases in vehicles or machinery in closed systems. Includes filling and draining of containers and operation of enclosed machinery (including engines) and associated maintenance and storage activities.

SECTION 2	OPERATIONAL CONDITIONS AND RISK MANAGEMENT MEASURES	
Additional Information	No exposure assessment presented for human health.	

Control of Worker Exposure	Section 2.1
	Product Characteristics
	Froduct Characteristics

Contributing Scenarios Risk Management Measures

Section 2.2	Control of Environmental Exposure	
Amounts Used		
EU tonnage (tonnes per year	r):	224
Fraction of EU tonnage used	in region:	0.1
Fraction of Regional tonnage	used locally:	0.1
Frequency and Duration of	Use	
Emission Days (days/year):		365
Environmental factors not	influenced by risk management	
Local freshwater dilution fact	or:	10
Local marine water dilution factor:		100
Other Operational Conditio	ns affecting Environmental Exposure)
Negligible wastewater emissi	ons as process operates without water	
contact.		
Release fraction to air from p	rocess (after typical onsite RMMs) :	
Release fraction to wastewater from process (after typical onsite		5.00E-04
RMMs and before (municipal		
Release fraction to soil from process (after typical onsite RMMs):		1E-03
Technical conditions and n	neasures at process level (source) to	prevent release
Common practices vary acro	ss sites thus conservative process re-	
lease estimates used.		
Technical onsite conditions sions and releases to soil	s and measures to reduce or limit dis	charges, air emis-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Spirax S5 DCT X

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
2.2	07.07.2023	800010034875	Print Date 08.07.2023

Prevent discharge of undissolved substance to or recover from onsite	
wastewater.	
Organisational measures to prevent/limit release from site	
Do not apply industrial sludge to natural soils.	
Sludge should be incinerated, contained or reclaimed.	
Conditions and Measures related to municipal sewage treatment	olant
Estimated substance removal from wastewater via domestic sewage	69.1
treatment (%)	
Assumed domestic sewage treatment plant flow (m3/d)	2.00E+03
Maximum allowable site quantity (MSafe) based on OCs and RMMs	1,417.5
as above (kg/day) :	
Conditions and Measures related to external treatment of waste for	or disposal
External treatment and disposal of waste should comply with applicable	e local and/or regional
regulations.	-

Conditions and measures related to external recovery of waste

External recovery and recycling of waste should comply with applicable local and/or regional regulations.

SECTION 3

EXPOSURE ESTIMATION

Section 3.1 - Health

No exposure assessment presented for human health.

Section 3.2 - Environment

Used ECETOC TRA model.

SECTION 4

GUIDANCE TO CHECK COMPLIANCE WITH THE EXPOSURE SCENARIO

Section 4.1 - Health

No exposure assessment presented for human health.

Section 4.2 - Environment

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.

Further details on scaling and control technologies are provided in SpERC factsheet (http://cefic.org).

If scaling reveals a condition of unsafe use (i.e., RCRs > 1), additional RMMs or a sitespecific chemical safety assessment is required.

For further information see www.ATIEL.org/REACH_GES.