

Page 1 of 16
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
Revision date / version: 10.04.2026 / 0020
Replacing version dated / version: 10.10.2025 / 0019
Valid from: 10.04.2026
PDF print date: 10.04.2026
Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Gear lubricant

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

GB

LIQUI MOLY GmbH
Jerg-Wieland-Str. 4
89081 Ulm-Lehr
Tel.: (+49) 0731-1420-0
Fax: (+49) 0731-1420-88

LIQUI MOLY UK
1310 Solihull Parkway
Birmingham Business Park
B37 7YB Solihull
Tel: +44 121 796 5365

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

GB

Landspítali- The National University Hospital of Iceland, tel. +354 543 2222 or 112 (valid only for Iceland)

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)
+1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 10.04.2026 / 0020

Replacing version dated / version: 10.10.2025 / 0019

Valid from: 10.04.2026

PDF print date: 10.04.2026

Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

EUH208-Contains Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction.

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture contains a PBT substance (PBT = persistent, bioaccumulative, toxic).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

| Polysulfides, di-tert-Bu | |
|--|--|
| Registration number (REACH) | 01-2119540515-43-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 273-103-3 |
| CAS | 68937-96-2 |
| content % | 1-<5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Sens. 1B, H317 Aquatic Chronic 3, H412 |
| Specific Concentration Limits and ATE | Skin Sens. 1B, H317: >=46 % |

| Baseoil - unspecified * | |
|--|-------------------|
| Registration number (REACH) | --- |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | --- |
| CAS | --- |
| content % | 0,1-2,5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304 |

| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | |
|---|--|
| Registration number (REACH) | 01-2119493620-38-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 931-384-6 |
| CAS | --- |
| content % | 0,1-<2,5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 4, H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |
| Specific Concentration Limits and ATE | Eye Irrit. 2, H319: >50 % Skin Sens. 1B, H317: >=9,39 % ATE (oral): 2000 mg/kg |

| O,O,O-triphenyl phosphorothioate | |
|--|--------------------------------|
| Registration number (REACH) | 01-2119979545-21-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 209-909-9 |
| CAS | 597-82-0 |
| content % | 0,25-<1 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Aquatic Chronic 1, H410 (M=10) |

Page 3 of 16
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
 Revision date / version: 10.04.2026 / 0020
 Replacing version dated / version: 10.10.2025 / 0019
 Valid from: 10.04.2026
 PDF print date: 10.04.2026
 Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.
 For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

* The contained mineral oil can be described by one or more of the following numbers:

| EINECS, ELINCS, NLP, REACH-IT List-No. | Registration number (REACH) | Chemical name |
|--|-----------------------------|---|
| 265-157-1 | 01-2119484627-25-XXXX | Distillates (petroleum), hydrotreated heavy paraffinic |
| 265-169-7 | 01-2119471299-27-XXXX | Distillates (petroleum), solvent-dewaxed heavy paraffinic |
| 265-158-7 | 01-2119487077-29-XXXX | Distillates (petroleum), hydrotreated light paraffinic |
| 265-159-2 | 01-2119480132-48-XXXX | Distillates (petroleum), solvent-dewaxed light paraffinic |

The substances named in this section are given with their actual, appropriate classification!
 For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.
 The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!
 Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.
 Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.
 Wash thoroughly for several minutes using copious water. Seek medical help if necessary.
 Keep Data Sheet available.

Ingestion

Rinse the mouth thoroughly with water.
 Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.
 In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.
 Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO₂
 Foam
 Dry extinguisher
 Water jet spray

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:
 Oxides of carbon
 Oxides of nitrogen
 Oxides of sulphur
 Toxic gases

Possible build up of explosive/highly flammable vapour/air mixture.

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Oil binder

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid formation of oil mist.

Ensure good ventilation.

Do not heat to temperatures close to flash point.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Avoid long lasting or intensive contact with skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Protect against moisture and store closed.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
 Revision date / version: 10.04.2026 / 0020
 Replacing version dated / version: 10.10.2025 / 0019
 Valid from: 10.04.2026
 PDF print date: 10.04.2026
 Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

8.1 Control parameters

| | | | |
|---|--------------------------------------|-----|--|
| Chemical Name | Oil mist, mineral | | |
| WEL-TWA: 5 mg/m3 (Mineral oil, excluding metal working fluids, ACGIH) | WEL-STEL: --- | --- | |
| Monitoring procedures: | - Draeger - Oil Mist 1/a (67 33 031) | | |
| BMGV: --- | Other information: --- | | |

| Polysulfides, di-tert-Bu | | | | | | |
|--------------------------|--|-----------------------------|------------|--------|--------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 0,24 | µg/l | |
| | Environment - marine | | PNEC | 0,024 | µg/l | |
| | Environment - sediment, freshwater | | PNEC | 0,94 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 0,094 | mg/kg dw | |
| | Environment - soil | | PNEC | 0,0181 | mg/kg dw | |
| | Environment - sewage treatment plant | | PNEC | 4,51 | mg/l | |
| | Environment - oral (animal feed) | | PNEC | 6,66 | mg/kg feed | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,167 | mg/kg bw/day | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 1,67 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 0,58 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 3,29 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 4,67 | mg/kg bw/day | |

| Baseoil - unspecified | | | | | | |
|-----------------------|--|-----------------------------|------------|-------|-------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - oral (animal feed) | | PNEC | 9,33 | mg/kg | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 1,19 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,74 | mg/kg | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 0,97 | mg/kg | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 5,58 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 2,73 | mg/m3 | |

| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | | | | | | |
|---|--|-----------------------------|------------|-------|-------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 0,001 | mg/l | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 2,2 | mg/m3 | |

Page 6 of 16
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
 Revision date / version: 10.04.2026 / 0020
 Replacing version dated / version: 10.10.2025 / 0019
 Valid from: 10.04.2026
 PDF print date: 10.04.2026
 Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

| | | | | | | |
|---------------------|--------------------|-----------------------------|------|------|--------------|--|
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 6,25 | mg/kg bw/day | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,25 | mg/kg bw/day | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 12,5 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 8,56 | mg/m3 | |

| O,O,O-triphenyl phosphorothioate | | | | | | |
|----------------------------------|--|-----------------------------|------------|-------|--------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 0,17 | µg/l | |
| | Environment - marine | | PNEC | 0,017 | µg/l | |
| | Environment - sediment, freshwater | | PNEC | 3,47 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 0,347 | mg/kg dw | |
| | Environment - soil | | PNEC | 2,46 | mg/kg dw | |
| | Environment - sewage treatment plant | | PNEC | 10 | mg/l | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 0,2 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 0,34 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,2 | mg/kg bw/day | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 0,4 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 1,39 | mg/m3 | |

GB - United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
 (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |
 | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:
 (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |
 | BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).
 (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |
 | Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU or 2024/869/EU:
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (98/24/EC, 2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE), (15) = Substantial contribution to the total body burden via dermal exposure possible. |

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.
 Applies only if maximum permissible exposure values are listed here.
 Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.
 These are specified by e.g. EN 14042.

Page 7 of 16
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
 Revision date / version: 10.04.2026 / 0020
 Replacing version dated / version: 10.10.2025 / 0019
 Valid from: 10.04.2026
 PDF print date: 10.04.2026
 Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.
 Wash hands before breaks and at end of work.
 Keep away from food, drink and animal feedingstuffs.
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:
 Tight fitting protective goggles with side protection (EN ISO 16321-1).

Skin protection - Hand protection:
 Chemical resistant protective gloves (EN ISO 374).
 If applicable
 Protective nitrile gloves (EN ISO 374).
 Minimum layer thickness in mm:
 0,35
 Permeation time (penetration time) in minutes:
 >= 480
 Protective hand cream recommended.
 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.
 The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:
 If the workplace limit value is exceeded.
 Filter A2 P2 (EN 14387), code colour brown, white
 Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:
 Not applicable

Additional information on hand protection - No tests have been performed.
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.
 Selection of materials derived from glove manufacturer's indications.
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|--|
| Physical state: | Liquid |
| Colour: | Yellow, Brown |
| Odour: | Characteristic |
| Melting point/freezing point: | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability: | Combustible. |
| Lower explosion limit: | There is no information available on this parameter. |
| Upper explosion limit: | There is no information available on this parameter. |
| Flash point: | 200 °C |
| Auto-ignition temperature: | There is no information available on this parameter. |
| Decomposition temperature: | There is no information available on this parameter. |
| pH: | Mixture is non-soluble (in water). |
| Kinematic viscosity: | 14,5 mm ² /s (100°C) |

Page 8 of 16
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
 Revision date / version: 10.04.2026 / 0020
 Replacing version dated / version: 10.10.2025 / 0019
 Valid from: 10.04.2026
 PDF print date: 10.04.2026
 Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

| | |
|--|--|
| Kinematic viscosity: | 142 mm ² /s (40°C) |
| Solubility: | Insoluble |
| Partition coefficient n-octanol/water (log value): | Does not apply to mixtures. |
| Vapour pressure: | There is no information available on this parameter. |
| Density and/or relative density: | 0,9 g/ml |
| Relative vapour density: | There is no information available on this parameter. |
| Particle characteristics: | Does not apply to liquids. |

9.2 Other information

| | |
|--------------------|--|
| Explosives: | There is no information available on this parameter. |
| Oxidising liquids: | There is no information available on this parameter. |

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No decomposition if used as intended.

10.4 Conditions to avoid

See also section 7.

Protect from humidity.

Open flame, ignition sources

10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90 | | | | | | |
|---|----------|-------|-------|----------|-------------|------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | ATE | >2000 | mg/kg | | | calculated value |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin sensitisation: | | | | | | n.d.a. |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | n.d.a. |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| Polysulfides, di-tert-Bu | | | | | | |
|------------------------------------|----------|-------|-------|------------|----------------------------------|---------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rat | OECD 402 (Acute Dermal Toxicity) | |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Skin Sens. 1B |

| Baseoil - unspecified | | | | | | |
|------------------------------------|----------|-------|------|----------|-------------|---------------------------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Skin corrosion/irritation: | | | | | | Not irritant |
| Serious eye damage/irritation: | | | | | | Not irritant |
| Respiratory or skin sensitisation: | | | | | | Not sensitizing, Analogous conclusion |
| Aspiration hazard: | | | | | | Yes |
| Symptoms: | | | | | | mucous membrane irritation |

| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | | | | | | |
|---|----------|--------|------------|------------------------|--|---|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 2000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | Analogous conclusion |
| Acute toxicity, by oral route: | LD50 | > 3000 | mg/kg | Rat | OECD 420 (Acute Oral toxicity - Fixed Dose Procedure) | |
| Acute toxicity, by oral route: | ATE | 2000 | mg/kg | | | |
| Acute toxicity, by dermal route: | LD50 | 5000 | mg/kg | Rabbit | OECD 434 (Acute Dermal Toxicity – Fixed Dose Procedure) | |
| Acute toxicity, by inhalation: | LD50 | > 22 | mg/l/1h | Rat | | Vapours OECD 433 |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Corrosive |
| Serious eye damage/irritation: | | >=50 | % | Rabbit | | Eye Dam. 1, Classification based on toxicological analyses. |
| Serious eye damage/irritation: | | <50 | % | Rabbit | | Not irritant, Classification based on toxicological analyses. |
| Respiratory or skin sensitisation: | | | | Mouse | OECD 429 (Skin Sensitisation - Local Lymph Node Assay) | Yes (skin contact), Analogous conclusion |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative, Analogous conclusion |
| Germ cell mutagenicity: | | | | Mouse | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative, Analogous conclusion |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 150 | mg/kg bw/d | Rat | OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) | |

| O,O,O-triphenyl phosphorothioate | | | | | | |
|----------------------------------|----------|--------|-------|----------|--|--------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | > 2000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |

Page 10 of 16
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
 Revision date / version: 10.04.2026 / 0020
 Replacing version dated / version: 10.10.2025 / 0019
 Valid from: 10.04.2026
 PDF print date: 10.04.2026
 Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

| | | | | | | |
|--------------------------------|--|--|--|--------|---|--------------|
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Not irritant |
|--------------------------------|--|--|--|--------|---|--------------|

11.2. Information on other hazards

| Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90 | | | | | | |
|---|----------|-------|------|----------|-------------|---|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Endocrine disrupting properties: | | | | | | Does not apply to mixtures. |
| Other information: | | | | | | No other relevant information available on adverse effects on health. |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90 | | | | | | | |
|---|----------|------|-------|------|----------|-------------|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and degradability: | | | | | | | n.d.a. |
| 12.3. Bioaccumulative potential: | | | | | | | n.d.a. |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | n.d.a. |
| 12.6. Endocrine disrupting properties: | | | | | | | Does not apply to mixtures. |
| 12.7. Other adverse effects: | | | | | | | No information available on other adverse effects on the environment. |
| Other information: | | | | | | | Aquatic Chronic 1, Aquatic Chronic 2, Aquatic Chronic 3 - No classification based on test data (analogous conclusion). |

| Polysulfides, di-tert-Bu | | | | | | | |
|--------------------------------------|----------|------|-------|------|---------------------------------|--|---------------------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 63 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 13 | % | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable |

| | | | | | | | |
|----------------------------------|---------|----|--------|------|------------------|--|----------|
| 12.3. Bioaccumulative potential: | Log Kow | | 6 | | | | measured |
| Toxicity to bacteria: | EC50 | 3h | >10000 | mg/l | activated sludge | | |

Baseoil - unspecified

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|-----------|------|--------|------|-------------------------|--|-------------------------------------|
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Pimephales promelas | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >10000 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | >10 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Scenedesmus quadricauda | | |
| 12.2. Persistence and degradability: | | 28d | 31 | % | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| 12.6. Endocrine disrupting properties: | | | | | | | Negative |

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|-----------|------|-------|------|---------------------------|--|-------------------------------------|
| 12.1. Toxicity to fish: | NOEC/NOEL | 96h | 3,2 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | LC50 | 96h | 8,5 | mg/l | Pimephales promelas | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EL50 | 21d | 0,66 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 0,12 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | Analogous conclusion |
| 12.1. Toxicity to daphnia: | EL50 | 48h | 91,4 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Analogous conclusion |
| 12.1. Toxicity to algae: | EC50 | 96h | 6,4 | mg/l | Selenastrum capricornutum | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 96h | 1,7 | mg/l | Selenastrum capricornutum | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 7,4 | % | activated sludge | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable |
| 12.2. Persistence and degradability: | DOC | 28d | 3,6 | % | activated sludge | | Not readily biodegradable |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |

| | | | | | | | |
|-----------------------|------|----|-------|------|------------------|--|--|
| Toxicity to bacteria: | EC50 | 3h | ~2433 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
|-----------------------|------|----|-------|------|------------------|--|--|

O,O,O-triphenyl phosphorothioate

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|---|-----------|------|---------|------|------------------------|--|----------------------|
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | >60d | 1,7 | µg/l | Oncorhynchus mykiss | OECD 210 (Fish, Early-Life Stage Toxicity Test) | Aquatic Chronic 1 |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >100 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 0,00724 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.2. Persistence and degradability: | DT50 | >60d | | | | OECD 309 (Aerobic Mineralisation in Surface Water - Simulation Biodegradation Test) | Not biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | 5,1 | | | | To be expected |
| 12.3. Bioaccumulative potential: | BCF | | 2551 | | | | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | PBT-substance |
| Toxicity to bacteria: | IC50 | 3h | >100 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of.

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Page 13 of 16
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
 Revision date / version: 10.04.2026 / 0020
 Replacing version dated / version: 10.10.2025 / 0019
 Valid from: 10.04.2026
 PDF print date: 10.04.2026
 Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

15 01 01 paper and cardboard packaging
 15 01 02 plastic packaging
 15 01 04 metallic packaging
 Empty container completely.
 Uncontaminated packaging can be recycled.
 Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

| | |
|-----------------------------------|----------------|
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | |
| Not applicable | |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |
| Tunnel restriction code: | Not applicable |
| Classification code: | Not applicable |
| LQ: | Not applicable |
| Transport category: | Not applicable |

Transport by sea (IMDG-code)

| | |
|-----------------------------------|----------------|
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | |
| Not applicable | |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |
| Marine Pollutant: | Not applicable |
| EmS: | Not applicable |

Transport by air (IATA)

| | |
|-----------------------------------|----------------|
| 14.1. UN number or ID number: | Not applicable |
| 14.2. UN proper shipping name: | |
| Not applicable | |
| 14.3. Transport hazard class(es): | Not applicable |
| 14.4. Packing group: | Not applicable |
| 14.5. Environmental hazards: | Not applicable |

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:
 General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): ~ 4 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 10.04.2026 / 0020

Replacing version dated / version: 10.10.2025 / 0019

Valid from: 10.04.2026

PDF print date: 10.04.2026

Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H317 May cause an allergic skin reaction.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Skin Sens. — Skin sensitization

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Asp. Tox. — Aspiration hazard

Acute Tox. — Acute toxicity - oral

Eye Irrit. — Eye irritation

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines on the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EBLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

| | |
|-------------------------------|---|
| ELINCS | European List of Notified Chemical Substances |
| EN | European Norms |
| EPA | United States Environmental Protection Agency (United States of America) |
| ErCx, EµCx, ErLx (x = 10, 50) | Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) |
| etc. | et cetera |
| EU | European Union |
| EVAL | Ethylene-vinyl alcohol copolymer |
| Fax. | Fax number |
| gen. | general |
| GHS | Globally Harmonized System of Classification and Labelling of Chemicals |
| GWP | Global warming potential |
| Koc | Adsorption coefficient of organic carbon in the soil |
| Kow | octanol-water partition coefficient |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IBC (Code) | International Bulk Chemical (Code) |
| IMDG-code | International Maritime Code for Dangerous Goods |
| incl. | including, inclusive |
| IUCLID | International Uniform Chemical Information Database |
| IUPAC | International Union for Pure Applied Chemistry |
| LC50 | Lethal Concentration to 50 % of a test population |
| LD50 | Lethal Dose to 50% of a test population (Median Lethal Dose) |
| Log Koc | Logarithm of adsorption coefficient of organic carbon in the soil |
| Log Kow, Log Pow | Logarithm of octanol-water partition coefficient |
| LQ | Limited Quantities |
| MARPOL | International Convention for the Prevention of Marine Pollution from Ships |
| mg/kg bw | mg/kg body weight |
| mg/kg bw/d, mg/kg bw/day | mg/kg body weight/day |
| mg/kg dw | mg/kg dry weight |
| mg/kg wwt | mg/kg wet weight |
| n.a. | not applicable |
| n.av. | not available |
| n.c. | not checked |
| n.d.a. | no data available |
| NIOSH | National Institute for Occupational Safety and Health (USA) |
| NLP | No-longer-Polymer |
| NOEC, NOEL | No Observed Effect Concentration/Level |
| OECD | Organisation for Economic Co-operation and Development |
| org. | organic |
| OSHA | Occupational Safety and Health Administration (USA) |
| PBT | Persistent, bioaccumulative and toxic |
| PE | Polyethylene |
| PMT | Persistent, mobile and toxic |
| PNEC | Predicted No Effect Concentration |
| ppm | parts per million |
| PVC | Polyvinylchloride |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) |
| REACH-IT List-No. | 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. |
| RID | Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) |
| SVHC | Substances of Very High Concern |
| Tel. | Telephone |
| TOC | Total organic carbon |
| UN RTDG | United Nations Recommendations on the Transport of Dangerous Goods |
| VOC | Volatile organic compounds |
| vPvB | Very persistent and very bioaccumulative |
| vPvM | Very persistent and very mobile |

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

Page 16 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 10.04.2026 / 0020

Replacing version dated / version: 10.10.2025 / 0019

Valid from: 10.04.2026

PDF print date: 10.04.2026

Hypoid-Getriebeoel (GL4/5) TDL SAE 80W-90

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.